

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number
WO 2004/026888 A2

- (51) International Patent Classification⁷: **C07H**
(72) Inventors; and
(75) Inventors/Applicants (for US only): LIPFORD, Grayson, B. [US/US]; 38 Bates Road, Watertown, MA 02472 (US). MOOKHERJEE, Neeloffer [IN/CA]; Apt 408, 2233 Allison Road, Vancouver, BC V6I 1T7 (CA). BABIUK, Lorne [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). BROWNIE, Robert [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). GRIEBEL, Philip [CA/CA]; Box 35, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). MUTWIRL, George [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). HECKER, Rolf [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (21) International Application Number: PCT/US2003/029577
- (22) International Filing Date: 19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): COLEY PHARMACEUTICAL GMBH [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). UNIVERSITY OF SASKATCHEWAN [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). QIAGEN GMBH [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).
- (74) Agent: STEELE, Alan, W.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CI, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

WO 2004/026888 A2



MZ, NI, NO, NZ, OM, PG, PI, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

- (84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

Background of the Invention

- Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001) *Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for biological activity and it is reported that optimal CpG DNA sequences can vary among species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.
- Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN. Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9 recognizes CpG DNA is not understood.

Summary of the Invention

- Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal in response to CpG DNA. To date, the amino acid sequences only of human and murine TLR9 have been reported, and, interestingly, these two species are known to prefer different CpG motifs. The structural basis for this species-specific CpG motif preference has not yet been fully elucidated. The instant invention provides, in part, novel amino acid and nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are useful for elucidating certain key structural features of TLR9. Specifically, comparison of sequences of murine, human, and these novel TLR9 sequences permits identification of areas of highly conserved sequence, areas of group conservation, and areas of hypervariability. In addition, such comparisons permit an assessment of evolutionary relatedness among TLR9 molecules of the various species, as well as an assessment of inter-species homologies. Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9 that may be involved in the CpG binding site, as well as amino acids involved in conferring species specificity for particular CpG motifs. Such information may be used to design and construct novel TLR9 molecules which incorporate specific point or regional mutations and which possess desired ligand binding characteristics. Such information may also be useful in designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand, such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),
TCCATGACGTATTTGATGTT (SEQ ID NO:56), and
TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one embodiment the reporter gene is operatively linked to a promoter sensitive to NF- κ B. In one embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test compounds. In one embodiment the response mediated by the TLR9 signal transduction pathway is measured quantitatively and the response mediated by the TLR9 signal transduction pathway associated with each of the plurality of test compounds is compared with a response arising as a result of an interaction between the functional TLR9 and a reference immunostimulatory compound.

Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and human TLR9 sequences alone.

Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine, porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected oligonucleotides having strong specificity for human (2006), mouse (S890), or neither (1982).

Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

SEO ID NO:2 (Rat TLR9)

20 MYLCRRTLHPLSLVQQAVALAALALQTLPAFLPCELPKHGLVDCNWLPLKSVPHFSAAPESRNI¹TSLSLIANR1
SHTN1LDFVHLLNPLQVRLNKLWNCPPPLGSLPHFSCRMTEIEPKTFLAMRLMEELANSYGTITVRLPSLSPK1
25 SHLNSLYLVDASSLAGHSLRVLFMDGNCYYNPLSCAGNVMTVPDAFLGSLNLTSLSKYNNLTZVPRQLPPSLLEYL
LHLSYLNLYLKQADLANLTSLRMLDVGVCNRCDDHAPDLCTEBCRQKSLDLHPQTFHRLSHLEGLVLQKSSLSHLSIN
SKWQFGLANLSVLDLSNPBYESTKTSQNLRLTKDLRSLYPIKCVKSPARHLHSAFSFKLSVYLQELNNMPL
25 FRLNLTQTLRLWLAGDLKPLTILHLQMFNIQAQGLSVFSTRFALRPVDSLNNRISGPPPTSRVAPKKADAEKQGVWP
PASLTALPASPVSQKFNMYCRKNLRFTMDLSNNMVOITKPFMFVNLSLHQLCSLNSHCIAQAQVNGSQFLPTNLK1
VLDLSYNNKLDYHKSFSKSLPOLQAQLDLSYNSQPFMQQIHSFSLANRSLKSLNLAHNDIHRVSRSLYSTS
25 VEYLDLFCNGVGRMWDEEDLYLYFFQDLRSLTHLDLSQNKHLIRLPQNLNLYPLSKLTLKLSFDRHLSFPMWSLS1
FLPNLRDLDLAGNLKALTNGTLFNGTLLQKLDVSSNSIVFVVPAPFALAVELKEVNLSHN1LKTVDRSWFGPIV
30 MNLTLDVSSNPLECACGAPFVDLLLEVQTKVFGLANGVKCGSPRLQQRSLFAQDLRLCLDLVLSRD CFG

SEO ID NO:3 (Rat TLR9)

atggttctctgtcgccaggaacctccacctctgtctctctctggtacaggccgcagtgctggctgaggtctctggc
ctgggtaccctctgcctctctctacctgtgaactgaagcctatggctctgtgagctcaactggctctctctg
35 aagtctgtgctcactctctctgcgcgaacccctgtccaacatccacagctctctcttgatcgcccaacgcctc
caccaacctgcgaacactcgactctgtctgcgcacgccactgtgcagactgaacctcagcttggaactctgcgcg
ctctggctcagccctctgactctctctgcgcatagcacttgagcccaaaactctctgggtatcgatctgctg
gaagagctgaacctgagctataaaggctatccacactctgccccctgcccactctgcagcaactctgagctcat
agccacacaacatctcggtaactcgatgcgcagcctcgtggctgcgcagcctcgaggtctctctatctggaac
40 gggaaactgtctatcaagaacctccgaacgggctgaaagctgaccccgagcgcctctctgggtctgagcaaac
ctcaccaactctctcttaagtataaaacctcacagaggtggccgcgcaactcccccacactctggagtaacct
ctctgctctctataacctcactcgtaacgtcagcgcgcgcgaagactagccaaactcgacctcctctgaaatctg
tggtgggaagtctcgctcgctgtgactcggcccccgaactctgtacagaatgccggcgagaagctctctgact
cacctcagactctcactcactcaggaacctctgaaggcctgtgctgaggaagcagttctctccactcgtctgac
tccaaagtgtctcaggtctggtgcgaacctctcggtctggaactaagcagaagactctctctcagagactcaac
45 aaaaccagcctctcagaagctgaacctcgtctgcgcgaagctcgacctctcctaattcagcagaaggtatac
ctgcgcgcctcactcgggaagttctctcaagagcctgggtctgcgtcaggagctgaacatgaagcgcctctc
tctcgcttactacaagaagaacgctcaggtgtgtgtggtctgcgaagctccacagctgacctcctaagt
aattctatcacacaggcgagctcaggtctcttagtaactctcgagccgctctgctcttggaactctccaatata
cgcatcagcggcctccaaagctctgcagagtgcgcccgcaaaaggcagcagcaggcggaaggggtctctcag
50 ctctcgaagctctcacccagctctcccgagcactcccgctctcaagaagactctatggctcaggttgaaacctga
ctccactggagcctctctcggaacaaacaggtgactatacgaagcagagattctgtcacaactctccactccag
ctgtgagctgagccacaaactgcatcgccgagctctcaatggactctgagctctcctgcgctgaccacactgaag
ctgctgagcctctctataaaccagctggagcttaccattcaggaactctcagtgcgctcccaagcttgagcgt

- 10 -

ctggacctgagctacaaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg
tccagggttacagaaaccttagcctggcaccacaatgacattccacgccgctgtctccacgacctccacagacctca
gtggaggtatctggacttcagcggccaacgggtgtggccgcagctgtggcagcaggaggacctttacctctattttctc
caagacctgagaaagcctgatttcattctggacctgtctcagaataaagctgcacattcctccggccccaagacctcaac
5 taccctccccagagacctgacgagaagctgagtttccctgacacaatcactctcttcttaactggagcagctgtggcc
ttcctggccaaactctgcgagactcctggacactggcaggcaactactaaaggccctgaccaacggcaccctgctaat
ggccagctctccagaaactggatgtcagtagcaaacagttatcgtcttttgtgctccagacctctcttgtctggcg
gtagagctaaaagagggtcaacctcagccataaacattctcaagactgtggatcgtcctgggtttgggcccatttgtg
10 atgaaactgacgggtctagacgtgagcagcaaacctctgcaatttgtgctcgggtgacaccttgttagacttactg
ctgaagtgcagacaaagctgctggcctggctaacgggtgtgaaagtgtggcagctcccccagctcagggccgcg
agcatctttgccaagacctcggcgtgtgctggatgacgtctctctcgggactgctttggcctttcaactcctg
gtcgtggcctgggacaggtgttgcctttactgcagcatctctcggcgtgggacgtctggtactgtttccactctg
tgcctggcattggtaccttttgtgacctgtggcggcgacgcccagctctcccttatgatgctctcgtgggtg
ttcgaataaggcgacagcgggtgtgctgactgggtgtataacagagcttcagagtggcgtagaggagcggcggggt
15 cgcgagacctcagcttgtctgtcggaggaccagattggctgcccggccagacattcttcgagaacctctgggccc
tccattctatggcagcccaagactctgttttgtctggccacacaggacaaggctgagtggtcctctcgcgaccagc
ttcctgttggtctcagcagcgtcctggaggacggcagggagctgggtgtgtgtggtgactctcgcgcctcgaagcc
caccgctcccgctacgtgcgactcgcgcagcgtctcgcgcacagagtgtgctctctggcccacacagcccaac
ggcgagggacgtcttcggccagctgagtagcagcctgactagggacaaccacactctataaccggaaactc
20 tgcggggagctacagcagaatag

SEQ ID NO:4 (Rat TLR9)

atgggtctctctgctgcaggacctgcacctctgtctctcctgggtacagccgcagtgctggctgaggtctctggcc
ctgggtacctgctgctctctacctgtgaactgaagctcattggcctggttagactgcaactggctcttctcctg
25 aagctgtgctgctcacttctctcgcgcagaaacccgttccaaactcaccagcctctcttgatcgccacaaggcacc
caccactcgcacaaactcgactttgtccaaactgcccaacgtgcgacagctgaacctcaagtgaactgtccgccc
ctggcctgaccccttgaactctctcctgcgcatagcaattgagcccaaaacctctcggctatgcccattgctgtg
gaagagctgaacctgagctataaagggtatcaccactgtgcccgcctgcacagctcctgagcaatctgagccta
30 agccacccaaactcctggtacctcgatgcccagcagctcgtcggcctgcacagcctgcagattctctcattggac
gggaactgctactacaagaacccctgcaacggggcggtgaacgtgacccggagcgtctcctgggcttgagcaac
ctcaccacttgtctccttaagtataaacaactcacagaggtgcccgcgcaactgccccccagcctggagtaacctc
ctgctgtcctataaactcattcgtcaagctggggggcgagaacctagccaaactgacctcccttcgaattgcttgat
gtgggtgggaattgcgtgctgtgatcaagccccgacacctctgtacagaattgccggcagaagctccttgatctg
caccctcagactttccatcacctgagccaccttgaaggcctgggtgctgaaggacagttctctccactcgttgaa
35 tccaagtgggtccagggctcggcgaaacctctcgtgtgtgaacctaaaggcagaactctctctacagagacatcaac
aaaacacagcgccttccagaacctgaccctgtcgcgaagctcgacctgtctcttaactcattgcaagaaggtatcg
ttcgcgcctcctccactggcgaagtctcctcaagagcctggtgtcgtcgcaggagctgagaacctgaacggcatctc
ttcgccttaactcaacaagaacacgctcaggtggctggctggtctgccaaactccacagctccacgtctcaaatg
aatttcatacaacaggcgcagctcagcgtctttagtaacctccgagccttcgtcttgtaggacctgtccaatat
40 cgcactcagcgggctcccaacgctctcagagatgcgccccgaaaaggcagacgagggcgagaaaggggggtccatgg
ctgcgaagtctacacccagctctcccgagcactcccgctcaaaagactctcatggctgaggtgaagaacctcaga
ttccactggacgtgtctcggaacaacagggtgactatacagccagagatggttgttcgtaacctctccactccag
tgtctgagcctgcagcaacctcattcgcgcaggctgactaaagctcagttctcgtcgcgtgaccacactgaag
gtgctgggaactgtctataaacaagctggacctgtacattcgaatactgttcagtgagctccacaggtgcaggcc
45 ctggaactgagctacaacagccagccattcagcatgcaggggataggccacaacctcagttttctgcccactctg
tccaggttacaggaaccttagcctggcaccacaatgacattccacgcccgtgtcctcagcctctcagcagcactca
gtggagttatcggacttcagcggcgaacgggtgtggcgagctgtggacgagaggacgtcttaacctctattctct
caagactcgagaagcctgatttcctggacctgtctcagaataaagctgcacattcctccgcccaggaacctcaac
50 taccctccccaaagcctgcagaaagctgagtttcctgacaaactcactctcttcttaactggagcagctcggcc
ttcctgcccaactctgcgagacctggacctggcaggcaactactaaaggcctgaccaacggcaccctgctaact
ggcagcgtctccagaaactggatgtcagtagcaaacagattcgtctttgtgtccagcgtctcttgtctggcg
gtagctctaaagaaggttcaactcagccataaacattcctcaagactgtggatcgtcctgggtttgggcccatttgt
atgaactcagcgggtctcagacgtgagcagcaaacctctgcaatttgtgctcgggtgcccctcttgtagacttactg
ctggaagtgcagacaagagctgctggcctggctaacgggtgtgaagtgtggcagctccacagctgacgggcgcg
55 agcatctttgcgaagacctcggcgtgtgctggatgacgtctctctcgggactgctttggc

- 11 -

SEQ ID NO:5 (Porcine TLR9)

MGPRCTTHPLSLLLVQVITALAAALAQGRLPAPFLPCELPQHGLVNCNWFLKSVPHFSAAPPRANVTSLSLLSNRH
 HLHSDDFVHLSSITLTLMLKWNCPAGISPMHFPCHMTIEPNTFLAVPTTKEELNLSYNSITTPVLPALPDSIVLSLS
 RTNIIIVLDPDTHLTGLHAIIRYLYMDGNCYKYNPCQGALEVPAGLGLGNLTHLSLKYNNITVEPRSLPPSLETLI
 5 LSYNHI VTLTPEDLANLTALRVLVDVGNCRCDHARNPCRECPDHPKLSHSDTFSHLSRLGLVLKDSSTLYNLD
 RWRFGRLDRLOQLVLDLSENFYDCTTKTTAFOGLARLSLNLSPNYHKVVSFAHLHLAPSGFHLRLSKELDMHGIF
 RSLSETTLQPLVQIPLMQLTQLRMNFINQAQISIFGAPFGLLYVDLSNDRISGAARPAITREVDGERVWLP
 NLAPRPDLTDRSEDFMPNCKAFSTPLDLSRNNLVTIQSEMFAIRSLRCTRLSHNSISQAVNGSQFVPLTSLRVL
 DLSHNKLDLHYGRSFTBLPRLEALDLSYNSQPTMQGVGHNLSPVAQLPALRYLSLAHNDIHSRVSQQLCSASLC
 10 ALDFSGNDLSRMAWAGDIYLRFPQGLRSLVWIDLSQNHILTLLPRAIDNI.PKSI.KHILHLRDNNAFFNWSSLTLL
 PKLETLDLAGNQLKALNGSLPSGTQRLRLDLSGNSIGFVNPQGFALAKOLEELNLSANALKTVPEPSWFGSMVGN
 LKVLVDVANPLHCACGATFVGFLLEVQAAPVQLPSRVKCSGPGQLQGHISIFAQDLRLCLDETLSWNCFIG
 ALGLVVPMLHHICGMDLWYCFHLCLAWLPHRGQRFGADALPYDAFVVFPAQSAVADMYNELRVQLBEERGRRA
 LRLCLBEERDWLPKTKLFENLWASVYSSRKTTFVLAHTDRVSGLLRASFLIAQORLIEDRKOVVVIVILRPDAYRS
 15 RYVRLRORLCROSVILNPHQPRQGGSFWAQLGTALTRDNHHFFYNNRNCRCGPTTAE

SEQ ID NO:6 (Porcine TLR9)

MGPRCTTHPLSLLLVQVITALAAALAQGRLPAPFLPCELPQHGLVNCNWFLKSVPHFSAAPPRANVTSLSLLSNRH
 HLHSDDFVHLSSITLTLMLKWNCPAGISPMHFPCHMTIEPNTFLAVPTTKEELNLSYNSITTPVLPALPDSIVLSLS
 20 RTNIIIVLDPDTHLTGLHAIIRYLYMDGNCYKYNPCQGALEVPAGLGLGNLTHLSLKYNNITVEPRSLPPSLETLI
 LSYNHI VTLTPEDLANLTALRVLVDVGNCRCDHARNPCRECPDHPKLSHSDTFSHLSRLGLVLKDSSTLYNLD
 RWRFGRLDRLOQLVLDLSENFYDCTTKTTAFOGLARLSLNLSPNYHKVVSFAHLHLAPSGFHLRLSKELDMHGIF
 RSLSETTLQPLVQIPLMQLTQLRMNFINQAQISIFGAPFGLLYVDLSNDRISGAARPAITREVDGERVWLP
 NLAPRPDLTDRSEDFMPNCKAFSTPLDLSRNNLVTIQSEMFAIR.SRI.RCLRI.SHNSISQAVNGSQFVPLTSLRVL
 25 DLSHNKLDLHYGRSFTBLPRLEALDLSYNSQPTMQGVGHNLSPVAQLPALRYLSLAHNDIHSRVSQQLCSASLC
 ALDFSGNDLSRMAWAGDIYLRFPQGLRSLVWIDLSQNHILTLLPRAIDNI.PKSLKHLHLRDNNAFFNWSSLTLL
 PKLETLDLAGNQLKALNGSLPSGTQRLRLDLSGNSIGFVNPQGFALAKOLEELNLSANALKTVPEPSWFGSMVGN
 LKVLVDVANPLHCACGATFVGFLLEVQAAPVQLPSRVKCSGPGQLQGHISIFAQDLRLCLDETLSWNCFIG

30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttctcactgtagctgctgcccggtctgccagccagaccccttgggaagaagaccccactccctgt
 catggggcccgctgcacactgcaccccttctctctcctggcgaggtgacagcgctggctggcgctctggcccca
 gggcgaggtgcctcctcctgcccgtgcagctccagccccaagcgctggtagactgcaactggcctctctctgaa
 gtcctggccccaactctctggcgccagcgcccgccggcccaactgcacagcgcctctccttactctcaaacccactcca
 35 ccaactgcacgaactcgcgaacttgcctccactgtccagcctcagaaactctcaaacctggaaggaactgcgcgcggc
 tggcctcagccccaactgcaactccctgccacatgacactcgagccccaacactctcctggcgctggcccaactgga
 ggagctgaaactgcagctacacagcatcacgacgtgctcctcctggcgactcctcctgctcctgtgcctgag
 cgcacccaactcctcctggctgcagacccccaactcactgctacatgcctcctgcctcactggtacatggatgg
 caactgctctacaaagaacacctgccagggggcgctggaagtggctggcgctgacctcctcctggcgctgggaacact
 40 cacacatctcctcactcaagtacacaaactctcacggagggtgcccgccagcctgccccccagcctgggaagacctgct
 gttgtctcacaacacatgtcacctgcagcctgaggaactgggcaactgcactgcgcctgcctgctgagt
 ggggggggaactgcgcgcgtctgacacatgcccgcaacccctgcaggagtgcccaagaagacccaacacgaactgca
 ctctgacacctcgaagcagctgcagcgccctcgaaggcctgggtgtgaaagacagatctctctcacaacactggacac
 cagggtggttcgagggtgcagcaggctccaagtgtggaactgtgagagaacttctctacagctgcatcacaac
 45 gaccacggcctctcagggtcctggccgactgcgcagcctcaactgctcctcaattacccaacgaagggtcctct
 tgcccaactgcactgcgcactccttggggcactcccgctgcaaggagctggagactgcatgaggaactcctct
 ccgctcgctcagtgagaacacagcctccaaactctggctccaaactgctatgctccagacactggcgctcagatgaa
 ctctcaataacacagcgccagctcagcatcttggggcctcctcctgctgctgctgaactgaggaacacg
 catcagcggaactgcgaaggcagctggccatctactgggaaggtggatggtagagagaggtctggcgcctccag
 50 gaactcgtcgcacgtcctcagctgacactcctcgcctcagaggaactctatgcacaaactcctcagcctcagctcac
 ctggagctgtctcggaacaaactggtgacaactccagtcggagatggttgctgcgctctcacgcctcaggtgct
 gcgctgagcccaacacagcatctccagggcggtcaatggctcctcagtttgtgcgctcagcagcctggcggtgct
 ggacgtctcccaacaacagctggacctgataccggggcctcgttcacggagctgcggcgctggagagcattgga
 cctcagctacaatagccagcccttaccatgcaagggtgtggggccaacactcagctcctgctggccagctgcgcgc

- 12 -

cctgcgctacctcagcctggcgcaacaatgacatccatagccgagtgctccagcagctctgtagcgccctcactgtg
 cgccctggagctttagcggcaacagatctgagcggagtgctgggctgaggggagaccccttatctccgcttctccaagg
 cctaaagaagcctagtctgctggagcctgtccagaacacccctgcacacccctcctgccagctgcctggcaaacct
 ccccaaaagcctgaagcatctgcactctccgtgacaataaacctggccttcttcaactggagagcctgacccctcct
 5 cccaagctggaaacccctggagcttggctggaaacacagctgaaggcccttaagcaatggagcctgcccctctggccac
 cgacctgcggagcctggacccagtgccggaacagcatcggtttgtgaacccctggcttcttggccctggccaagca
 gttagaagagctcaaacctcagcggccaatgccctcaagacagtgaggccctcctggcttggctcgatggtgggcaa
 ggttaagaagctctagaactgagcgccaacccctctgcactgtgcctggtggggcgaccccttggtgggctcctctggga
 10 ggttacaggctgcgcctgctgggctgcccagcgcgcgtcaagtgtggcagctccggggcagcctccagggccatagcat
 tcttgccgaagacccctgcgcctcctgcctggatgagacccctctcgtggaaactgttttggcatctgcgtgcggccat
 ggccctgggctgggttgtgcccactgctgcacacccctctcggcgtgggaacccctgtgactgcttccacccctgtgct
 ggctggctgcccacccagggcagcggcgggggcgagacgcctgttctatgagccttggtgtgttga
 agctcaagagtgtgtggcgagctgggtgtacaacagagctgcgggtgcagctggaggagcgcctggggcgccgcgc
 actgcgctgtgctgcggaggagcgagactgggttacctggcaagacgctcttcagaaacccctgggctcagctcta
 15 cagcagcccgcaagacccctgtttgtgtggccccacagcgagcctgtcagcggcctcttgctggcaagttctctgt
 ggcccacagcgccctgtctggaggagccgcaaggacgttctgtagtgcctgggtgatcctgcgcgccagatgcctaccgctc
 ccgctcagctgggctgctggcgagcgccctctgcgcgcagagtgctcctcctctgcgcgcaccccgctggcgaggg
 cagcttctggggccagctgggcaacagccctgaccaggggacaacacacactctctataacgggaactctctgcggggg
 cccacagcagccgaatagcactgagtgaacgcccagtgctcccacccccctggatttgcctctctgcctggggg
 20 tgcccacaacccctgtcttgctcagccacacacactgctcgtcctcctgttcccacccccccccccagcctggcagtg
 aacatgtgcccacataaatgctccggaggggcaagaaaaa

SEQ ID NO:8 (Porcine TLR9)

atggggcccccgtgcacccctgaccccccctttctctcctgggtgcaggtgacagcgcctggctgggctctggcccg
 25 ggagcgtctgctgctcctcctgcccctgtgagctccagccccacggcctggtgaactgcacctggcctcctcctgaag
 tccgtgccccactctctggcgccagcgcggccggccaaagtcacacagcctcctccttactctccaaacgcatccac
 caactgcagacactccgacttgctccacctgtccagcctacgaactcacaactcacaagtggaaatgcccgcgcggct
 ggccctcagcggccatgcaacttcccctgcacatgacactcagaccccaacacccctcctggcgtgcccacccctggag
 30 gagctgaacctgagctacaacagcatcagcagcgtgctcgcctgcccagcactccctcgtgtccctgtcgttgagc
 cgcacacaacacccctgggtgctagaccccacccacccctcaactggcctacaatgcccctgagctacactggatggc
 aactgctactacaagaacccctgcccagggggcgctggaggtgggtgcccgggtgcccctcctcgccctgggcaaccc
 acacactctcactcaagtacaacaactctcacggaggtgccccgcagcctgccccccagcctggagacccctgctg
 ttgctcctacaacacacatgtcacccctgacgcctgaggacccctggccaactctgactgcctgcgcgtgcttgatgtg
 35 ggggggaactgcgcgcgtgtgaccatgcccgaacccctgcaggagtgcccaaggaccaccccaagctgcac
 tctgacacccctcagccacccctgagccgctcgaaggccctgggtgttgaaggacagttctctctacaacccctggacac
 aggtgggttccgagcctggagcaggtctccaagtgcctggacccctgagtgagaactctcctctacgactgcacccaa
 accacggcctctcagggcgtggcccgactgcgcagcctcaacccctccttcaaltacacacagaaggtgtcctct
 gccacactgcacccctgcacccctccttggggcaactccggtccctgaaggagctggacactggtcactcttct
 40 cgtcgtcgtcagtgagacccagctcccaacccctgggtcccaactgctatgctccagacccctgcgcctgcagatgaac
 ttcattaaacggcccagctcagcatcttggggccttcccctggcctgctgacgtggacactatcggaacacccgc
 atcagcggagctgcgaaggcagtggtgacattactaggaggtggatggtgaggagaggtgctggctgctccagg
 aacccctgcctccacgtccactggacactctccgctcagaggacttcattgcacaaatgcaaggcctcagcttcaac
 45 ttggacactgtctgggaacacacccctgggtgacaactccagctcggagatgtttgtgcctctcaacgctcgaactgac
 gcctgagcgcacacagcatctcccaggcgttaattggctcctcagtttgtgcccgtgacacagcctgggggtgctg
 gactcttccccacaacagctggacccctgtatcaggggcctcgttccaggagctgcgcgcctgggaagcactggac
 ctcagctacaaatgagccaccccttaccatcagggtgtggggcacaacccctcagcttctgtggccacgtgcgcgc
 50 ctgcgcctacatcagctcagcgccacaaatgacatccatagcgcagtgctccagcagcctgtgagcctcactgtg
 gcctggagctttagcggcaacgcatctgagcggagtggtggctgaggggagacccctctcctcgccttcttccaagg
 ctaagaagcctagctcgtgctggagcctgtccagacaacccctgcacacccctcctgacactgcccctggacaaccc
 55 cccaaaagcctgaagcatctgcactcctcgtgacaataaacctggccttcttcaactggagcagcctgacccctcgt
 cccaagctggaaacccctggacttggctggaaacacagctgaaggcccttaagcaatggagcctgcccctctgggaac
 cagctgcggagcctggacccctcagtggaacacagcatcggtttgtgaacccctggcttcttggccctggccaagc
 ttagaagagctcaaacctcagcggccaatgccctcaagacagtgagacccctcctgggttggctcagctggggcaac
 ctgaaagtctagacgtgagcgcaacccctctgcactgtgcctggtgggggcaaccccttggtggctcctgctggag
 60 gtacagcgtgcgtgctgggctgcccagcgcgtcaggtgtggcagctccggggcagcctcaggggccatagcatc
 ttgcccgaagacccctgcgcctcgtggatgagacccctcgtggaaactgtttggc

SEQ ID NO:9 (Bovine TLR9)

MGYPACPHPLSLLVQAAALAAALAEGLTLPALFCELPQHGQVDCNWLFLKSVPHFSAGAPRANVTLSLISNRH
 5 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFFCRMTRIENPTFLAVPTLEELNLSYNGITTVAPALPSSLVLSLS
 HTSILVLGPHTFTGLHALRFLYMDGNCYMNPCCPRALFVAPGALLGLNLHLTLKYNMLTEVPRRPPSIDTL
 LSYNHIVTLAPEDLANLTALRVLVDVGGNCRCDHARNPCRECPKNFFKLHPDTEFSLHSLBGLVLKDSLSLYKLEK
 DWFRLGRLQVLDSLBNFLDYIYIKTTIFNDLTQLRRLNLSFNYHKKVFAHLHLASSPGLSVLSLEKLDHMGIF
 10 RSLTNIITLQSLTRLPKLQSLHQLNFINQAQLSIFGAFFSLLFVDSLSDNRISGAATPAALGEBVDSRVEVWRPLR
 GLAPGLDAVYSKDFMPSNCLNFTLDSRNINLVTIQQEMFTRLRLQLRCLSHNSISQAVNGSQFVPLTSLRVL
 LSHNKLIDLYHGSRFTFELPQLEALDLSYNSQFPMQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSQKSSASLRA
 LDFSGNLSQMWAEGLDYLCFFPKGLRNLVQLDLSENHLHTLLPHRLDNLPSLRLQLRDLNLAFFNWSSTLVL
 15 RLEALDLAQNQLKALSNGLPPGIRLQKLDVSSNSIGFVPGFFVRATRLIELMLNLANALKTVDPSWPGSLAGTL
 KILDVSANPLHCAAGAAVDFLLERQBAVPLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSDLCFGLSLLMVA
 LGLAVPLMLHLGCWDLWYCFHLCLAHLPERRRRQGEDTLIYDAVVVFDKVSADAVDNNVNLRLVLEKLEERRRRL
 RLCLERDNLPGKTLFENLWASVYSSRKTFVFLDHTDRVSGLLRASFLLAQRLLEDKRDVVVLVILRPAAYRSR
 YVRLRQLRCLQSVLLWPHQPSGQSFWANLGIATLRDNRHFNRRNCRGPTTAE

SEQ ID NO:10 (Bovine TLR9)

MGYPACPHPLSLLVQAAALAAALAEGLTLPALFCELPQHGQVDCNWLFLKSVPHFSAGAPRANVTLSLISNRH
 20 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFFCRMTRIENPTFLAVPTLEELNLSYNGITTVAPALPSSLVLSLS
 HTSILVLGPHTFTGLHALRFLYMDGNCYMNPCCPRALFVAPGALLGLNLHLTLKYNMLTEVPRRPPSIDTL
 LSYNHIVTLAPEDLANLTALRVLVDVGGNCRCDHARNPCRECPKNFFKLHPDTEFSLHSLBGLVLKDSLSLYKLEK
 25 DWFRLGRLQVLDSLBNFLDYIYIKTTIFNDLTQLRRLNLSFNYHKKVFAHLHLASSPGLSVLSLEKLDHMGIF
 RSLTNIITLQSLTRLPKLQSLHQLNFINQAQLSIFGAFFSLLFVDSLSDNRISGAATPAALGEBVDSRVEVWRPLR
 GLAPGLDAVYSKDFMPSNCLNFTLDSRNINLVTIQQEMFTRLRLQLRCLSHNSISQAVNGSQFVPLTSLRVL
 LSHNKLIDLYHGSRFTFELPQLEALDLSYNSQFPMQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSQKSSASLRA
 30 LDFSGNLSQMWAEGLDYLCFFPKGLRNLVQLDLSENHLHTLLPHRLDNLPSLRLQLRDLNLAFFNWSSTLVL
 RLEALDLAQNQLKALSNGLPPGIRLQKLDVSSNSIGFVPGFFVRATRLIELMLNLANALKTVDPSWPGSLAGTL
 KILDVSANPLHCAAGAAVDFLLERQBAVPLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSDLCFGLSLLMVA

SEQ ID NO:11 (Bovine TLR9)

gggaagtggggcccaagcatccttccctgcagctgcctcccaacctgcccgcagacacctctggagaagccgcat
 tccctgctcatggggccctactgtgcgccgcaccccttctctcctggctgacggcgggcgactggcagcgccc
 35 tggccggagggcagcctgcctgccttccctgcagctgcagctccagctggctgagctgcaactggcgctgt
 tctgcgaagtctgtgcgcacacttctcggtggagcccccgggccaatgtccacacagctctccttaactcccaac
 gcatccacacactgtcactgactctgaacttgcgtccacgtgtccacactgcggggtcctccacactcaagtgcacactgoc
 cgcggcgccgctcagcccatgcacttccctgcgctatgacactcgagcccaacacacttccctggctgtgcgcca
 40 cctggagggagctgaactgcagctacacacggcatcacgacggctgcctgcctgccagcttccctgcgtccctgt
 cgtgcagccacacagcatcctgggtcctaggcccccacacactccacggcctcagccgctcgcttctctgtaca
 tggagccgaactgctactacatcgaacccctgcgccggcgccctggaggtggcccccagcgccctcctcgccgctgg
 gcaactcagccacactgcgtcgaactacacacacactcagggaggtgccccgcgcctcgcgccccagcctggaca
 45 cctcctcagctgtgctcctacacacacactgtcaacctggcaccgccagggacactggccaaactgcatgcctgcgctgc
 ttgacgtgggtgggaactgcgcgcgctgcgacacatgccgcgaacccctgcaggaggtgccaagaacttcccc
 agctgacacctgacactcctcagtcacactgagccgctcgaaagcctgggtgtgaaggagacttctctcctacaca
 50 tagagaaagattggttcgcggcgctggcgaggtccaaagtctcgactgagtgagaaacttctcctactgactaca
 tccaacagacacacactctccaacacactgacccagctgcgcagactcaactgtcctcaattacccaagaagg
 tgcctctgcgcacactgcactacgctcctccttggggactctgggtgcctgggagagactggacatgcacggca
 tctctctcgcgtcctcctacacacactcagctcgaactgcgtgcacccggctgcccaagctccagagctcgtcgtgc
 agctgaactcctacacacagggccagctcagcatcttggggcctcccgagcctgcgtcctcgtggagctcgtcgg
 55 acacacactcagcggagcgccgacggcggcgccctggggaggtggacagcaggggtggaactcgtgcgcat
 tggccagggcctcgtcctcagccgcctggacggcctcagctcaaaagactcctacgcaactgcacactcact
 tcaacttggacgtgtcagcggaacacactgggtgacaactcagcagaagagtgtttaccgcctcctccgcctccag
 gctcgcgctgagccacaacagcatctcgcaggcggttaatggctccagttcgtgcgctgaccagcctgcgag

- 14 -

tgcctgcacctgtcccacaacaagctggacctgtaccatgggcgctcatcaccggagctgcgcagctggaggcac
 tgggaacctcagctatacaacagccagcccttcagcatgcagggcgctgggcccacaacctcagcttcgtggcccgagctgc
 cctcctctgcgcttacccttcagccttgccgcacaatggcatccacagcccgctgtcacagaagctcagcagcgccctgt
 tgcgcgccttggaccttcagcggcaactccctggagccagatgtgggcgagggagacctatctatctcgttttca
 5 aagccttgagggaacctggctccagctggagctgtccgagaacctatcgcacacctcctgcctcgtcactctggaca
 accctcccagaagcctgcgcgagctgcgtctccgggaacaataacctggccttcctcaactggagcagctgcacg
 tccctgcgcggctgggaagccctggatctggcaggaaacccagctgaaggcccttcagcaacggcagcctgcgcgctg
 gcatcggctccagaagctggagctgagcagcaacagcatcggcttcgtgatccctcggcttccttcgctccgcgga
 ctccgctgatagagcttaacctcagcgcgcaatgcctgaagacagtggaatcctcctggcttcgttccttcagcag
 10 ggagacctgaaaatcctagactgcgtgagcgcgaacccgctccactgcgcctgcggcgggcgcccttcgttggaacttcctgc
 tgggagagacaggaggccgtgcgcgggctgtccagggcgctcacatgtggcagctccgggcagctccagggcgccga
 gcatcttcacacaggacctgcgcctctgcctggatgagacctctccttggactgcttggccttcactgctaa
 tggctggcgctgggctggcagtgccactgctgcacacctctgtggctgggaacctctggtaactgcttcacctgt
 gctcggcccaatttgcccagcggcgggcgagcggggcgaggacacctctgctctatgatgcgctcgtggctctcg
 15 acagggtgcagagctcagtggtgctgattgggtgtacaaagagctccgctgcagctggaggagccgcccggggcgcc
 gggcgctccgctctcctgctggaggagcgagactggctccctggtaagacgcttcctgagacgcttgggcctcgg
 tctacagcagccgcaagacctgttcgtctggacacagcagggctcagcgctcctcagcggccgagcttc
 tgcctggccagcagcgctgttgaggagccgcaaggacgtctgtagctggtagctcctgcgcgcggcgccgctatc
 ggtccgcctcagctcggctgcgcgagcctctcgcgcgcagagcgctcctcctcctgcgcccaacagccagtggtcc
 20 agggtagttctcgggccaacctgggcatagccctgacccaggacaaacctcactctataaccggaaacctctgcgc
 ggggcccacagacgcggaatagcacagtgactgccacg

SEQ ID NO:12 (Bovine TLR9)

atggccctcactgtgtcccccgaacccctttctctcctggctgacggcgggcggaactggcagcggccctggcgcgag
 25 tggccctgctgctgctcctcctgcctgtgagctccagccccaatggctcagtggaactgcaactggctgtctctggaag
 tctgtgcccgaacttttcggctggaggcccccgggccaatgtcacagacctcctctaatctccaaacgcattccac
 caactgcatgactgtgaactgttcacactgtccaaactcggggtctcctcaacctcaagtggaaactgcgcgcggccc
 ggccctcagccccaatgcaacttcctcctgcgctatgacatcgagcccaacaccttcctggctgtgcccacctggagc
 30 gagctgaaacctgagctacaaacggcatcacgacgctgctgcgcctgcccagcttcctcctgcttcctctgcgtgagc
 cacaccagcatcctggtgctaggcccccaacccacttcacgggctgcacgcccctggagcttctgtgtacatggacggc
 aactgctactacatgaacccctgcccggggccctggagggtggccccagggcgccctcctcggcctgggcaacctc
 acgcaactgtcgtcaagtacaaacacctcacggagggtgccccgcgcgctgcgcccccagctggacaacctgctg
 ctgtcctacaaacacatgtcacctggcaccggaggacctggcccaacctgactgcctcgcgctgtctgaagtg
 35 ggtgggaactgcgcgctgctgcgacatgcccgaacccctgcaggagtgcccaagaacttcaccaagctgcac
 cctgacaccttcagtcacctcagcgcgctcgaaggctcgtgttggaaggacagttctctctacaaactagagaaa
 gatgggttcgcgcgctcctgggagagctccaagtgtcgcagctgagtgagaacttcctctatgactacccaagg
 acccaactcttcaacagacctgcaccagctgcgcgagatcaacctgtcctcctaataccaagaaggtgtcctc
 40 gcccaactgcacctagctcctcctcttggagtgctgggtgtccctggagaagctggacaatgcagccaactctctc
 cgctcctccaccaacatcaogctccagctcgtgcacccgctgcaccaagctccagagctgcatctggatggagaa
 ttcatcaaacaggcccgacatcagcatcttggggccttcccgagcctgctctctggtgaacctgtcggacaacctc
 atcagcggggcgcgcgacgcagcggcgccctggggggagtggaacagcagggtgggaagtctggcgatgcccagg
 45 ggccctcgtcgcagcggcgctggagcgcgctcagctcaaggagctctcatgcgaagctgcaacctcaactcactctg
 gactcgtcacggacaacactgttgacaatccagcaagagatggtttacccgctctcccgctccagctcgtcgc
 ctgagcccaacaacgactctcgcgagcggttaattggctccagtgctgctgcgctgacacagctgcgagtgctcgac
 ctgtcccaacacagcctggagctctaccatggcgctcattcacgagctgcgcgagctggagggcaactggaactc
 50 agctacaaacagcagcctctcagcatgcaggcgctgggccaacacctcagctctcgtggccagctgtcctcctg
 cgctcactcagctctgcgcgaacatggcatccacagcgcgctgtcacagaagctcagcagcgcctgtgtgcgcgc
 ctggacttcagcggccaactcctgagccagatgtggggcgaggagacctctatctctgcttttcaaaaggcttg
 aggaacctggctccagctggacctgcgagaacctatgcacacctcctgcctcgtcactggacaacctgccc
 55 aagagctcgaggagctgctgcctcggggaacaataacctggccttcctcaactggagcagctcagctcgtgcgc
 cgcttggaagcctggatctggcaggaaacacagctgaaggccctgagcaacggcagcctgcgcctgggcatcgg
 ctccagaagctggagctgagcagcaacagcatcggcttcgtgatcccggtcttcgtcgcgcgactgcgcgctg
 atagagcttaacctcagcgcgaatgcccgaagacagtggaatcctcctggcttcgttccttagcaggagacctg
 60 aaaaactctagagctgagcgcgaacccgctccactgcctcgcggcgggccttctggactcctcgtcggagaga
 caggaggcgctgcccggctgtcaggcgctcacatgtggcagtcgggcgcagctccaggggccgagcatcttc
 acacaggacctgcctcctgctggatgagacctctccttgactgcttggg

- 15 -

SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPI.SLLVQAAMLAVALAQGTLPFPFLPCELPQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLSNRI
 HHLHSDFAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEBENLNSYNGITTVPALPSSLSVSLIL
 5 SRTNLIQLDPTSLTGLHALRLFLYMDGNCYKNPCGRALEVAAGALLGLGNLTHLSLKYNNLTTVPRSLPPSLEYL
 LLSYNHIVTAPEDLANLALRLVLDVGGNCRRCDHARNPCVCEPHKFPQLHSDTFSHLSRLGLVLKDSISYQLN
 PRWFRGLGNLTVDLDSENLTYDICTTKAFQGLAQLRLNLSFNHYKKVSAFHLTLAPSPGSLSLQBLDMHGIF
 FRSLSQKTLQPARLPMQLRYLYQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGKKVWLTS
 10 RDLTPGPLDTPSSDPMPSCKNLSFTLDLSRNNLVTQPEMFAQLSRLOCLRLSHNSISOAVNGSQFVPLTSLQV
 LDLSHNKLDFYHGRSFTLEPRLEALDLSYNSQPFPSMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
 WALDFSGNLSQMAWAGDLYLRFQGLRSLIRLDLSONRLHTLLPCTLGNLPKSLQLRLRNNYLAFFNWSSTL
 LPTNLETLDAQNQLKALSNGSLPSGTQLQLRLDVSNSII FVVPGFALATRLRLNLSAALRTEBPSWGFFLAG
 SLEVLDSANPLHCACGAAPVDLFLQVQAAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSDWCTFGLSLV
 15 VALGLAMPMLHHLCCWDLWYCFHLGLAWLPRRGWQADALSYDAFVVFVDKAQSAVADWVNNELSVRLREERRRR
 ALRCLBERDWLPGKTLFENLWASVYSRKMFLVLAHRTDQVSGLLRASFLAQRLLEDKRDVVLVILSPDARR
 SRYVRLRQLRCRQSVLFWPHQPSQRSFWAQLGMALTRDNRHFFYNQNFRCRGTMAE

SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPSLLVQAAMLAVALAQGTLPFPFLPCELPQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLSNRI
 20 HHLHSDFAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEBENLNSYNGITTVPALPSSLSVSLIL
 SRTNLIQLDPTSLTGLHALRLFLYMDGNCYKNPCGRALEVAAGALLGLGNLTHLSKYNNLTTVPRSLPPSLEYL
 LLSYNHIVTAPEDLANLALRLVLDVGGNCRRCDHARNPCVCEPHKFPQLHSDTFSHLSRLGLVLKDSISYQLN
 PRWFRGLGNLTVDLDSENLTYDICTTKAFQGLAQLRLNLSFNHYKKVSAFHLTLAPSPGSLSLQBLDMHGIF
 25 FRSLSQKTLQPARLPMQLRYLYQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGKKVWLTS
 RDLTPGPLDTPSSDPMPSCKNLSFTLDLSRNNLVTQPEMFAQLSRLOCLRLSHNSISOAVNGSQFVPLTSLQV
 LDLSHNKLDFYHGRSFTLEPRLEALDLSYNSQPFPSMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
 WALDFSGNLSQMAWAGDLYLRFQGLRSLIRLDLSONRLHTLLPCTLGNLPKSLQLRLRNNYLAFFNWSSTL
 30 SLEVLDSANPLHCACGAAPVDLFLQVQAAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSDWCTFG

SEQ ID NO:15 (Equine TLR9)

ctctgtctctctgagctgttgccgctgtagagggactgcgagcacaaagcatcctctctgcagctgctgccagtg
 tgccagctggaccctctggatcatctcccactcctgtcatgggccccttgccagctggccctgcagcccccgtct
 35 cctcctggctgagccggccagctctggcgcgtggcctctggcccaggcaacctgcctcctctgcctgtgagctc
 gacagcccaagcgcctggtgaactgcaactggcctgtctctgaagtccgtgcccccaactctcagcagcagcagcccccg
 caactgtctcagcagccttctcctgtctctccaacccgcatccaccacactgcagactctgcgaactttgcccaactgtctc
 aacctgcagaaaactcaactcctcaaatgggaactgcccgccagccggcctcagccccatgcaactcctccctgcacatgt
 accctcgagcccaacacttctcctggctgtaccaccctggaggagctgaacctgagctcacaacggcgtcacgact
 40 gtgcctgcctcgcagcactcctcctgtgtcctcgtatcctgagcgcacacaaactcctgcagctagacccccacgc
 ctccaggggctgcagctgcctgcgctctcctatacatggatggcaactgtcactcaagaacacctgcggcgccggg
 ctggagggtggcccccagccctccttgccctgggcaacctcaccacactgtcactcaagtcaacaacactcaca
 acggtgcgcccgagcctgcgccctcctagcctggagtaacctgctgtgtctctacaacacacttgtcacctggcaact
 45 gaggagctggcaactctgaactgcctgcgtgtgctcgatgggtgggaactgcgcgcctgtgaccatgcacgc
 aacctcctgcgtggagtgccacataaatctcccagctgcaactccgacaacctcagccacactcaagccgctcagaa
 ggcctcgtgttgaaagatggtctctctataccagctgaacccccagatggctccgtggctgggaacactcacagt
 ctgcagctgagtagaactctctctacagctgcatcaccaaaaccaaaggaactcaggggctctggccagctgcga
 agactcaacttgtctcctcaattaccataaagaaggtgtcctctcgccacactgacgtggcactcctctcgggagc
 ctgctctcctcctcaggaactggacatgcatggcactctctctcctgcctcactcagccagaagacgtctcagcagct
 50 gccgcctgcacctgtctcagcagctctgtatctgcagatgaactcatcaaccagccagcagctggcactctcaag
 gactcctcctgctctcgctcatatagactgtcagacaacccgcatcagtggaactgtggagccggtggccaccaca
 ggggagggtggatgggtgggaagaaggtctggctgacatcagggacactcactcagggcactggacacccccagc
 ctgaggactctatgccaagctgcaagaacactcagcttcaacttggaactgtcagggacacaaactggtaacagtc
 cagccagagatggttgccagctctctcgccctcctcagtgctcgcctgagcccaacacagcatctcagcagcggtc

- 16 -

aatggctcacagttcgtgccactgacacagcctgcaggtgtcggaacctgtccataaacaactggacctgtacctat
 gggcgctcggttacggagctgccgcagctggaggccctggacctcagctacaacagccagcccttcagctatgcgg
 ggtgtggggccacaacctcagctttgtggccagctgccaccctcgcgctacctcagctggacacaaatggacct
 cacagccgctgtgtccagcagctctgcagcaacctcgctgtggccctggacctcaagcggaatctcccttgagccag
 5 atgtgggctgaggggagacctctatctccgcttcttccaaaggctcgagaagctcaatccggtcagacctgtgtccag
 aatcgtctgcataccctcctgcctatgcacacctgggcaacctccccagagcttgcagctgtcgctctccgctaac
 aattacctggccttcttcaattggagcagcctgacctctcgtcccaacctggaaacctggacctgtcgtggaaaac
 cagctgaaggctctgagcaatggcagcctgacctctcggcaccagctccagaggctggagctcagcaggaacaagc
 atcatctctcgtgtgtccctggcttcttgcctcggccagcagggtcgagagctcaaacctcagtgccaaagccctc
 10 aggcacagagcctcctgggtttgggttctcagcagcctccttgaagctctagatgtgagcgcccaacctctcgt
 cactgcgcctgtggggcagccttctggaacttctcgtcagaggtcagggtgcgctgctgtgtcgtccacagccgc
 gtcaagtgtggcagtcggggcagctccagggccgagcactcttcgcaacaagactcgcctcgtcgtggacaag
 tccctctcctgggactgttttggctctctcattgtcgtgtgtggccctgggctggccatgacctgtgtgacccac
 cctctgggctgggacctctgttactgcttccacctgggctggcctggctgcccggcggggggtggcagcggggc
 15 gcggatgcctcgtgactatgatccttctgtgtcttcgcaaggccagcagcgagtcggccgactgggtgtacaat
 gaactcggggtgcggctagaggagcgcctggggcgccgggcgctccgctgtgtctggaggagcctgactgctgtat
 cctggcagcagctgtctgcaaaaacctgtgggctcagctctacagcagccgcaagatcgtgttctgtgtggccac
 acggacacaggtcagtggtcctctgtcgtgccagcttctcgtcgtggccagcagcctcgtcgtggaggacccgcaaggac
 gtgtgtgtgtcgtgttaactcctgagccttgaccccgccgttcccgctacgtgcggctgcgcacagccctctgcgcg
 20 cagagtctctctctctgtggccaccagcctagtggccagcgcagctctcgtggccagctcaggtcagtgccctgacc
 agggacaacccgcaactctataaaccagaactctcgcggggcccgacgagtggctgagtacacacagagtgcagcc
 tggctatgacacccccagcctgaccttgcctctcgtcctatgatgccagctcgtcctcaactctgtgagcggcc
 ggcctcgtcctcgccacctcaccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca
 aaaaaaaaaaaaaaaaaa

25

SEQ ID NO:16 (Equine TLR9)

atgggacctgcatgggtgccctgcagccctgtctctcctgggtgcaggcgcccatgtggccgctggctctggcc
 caaggcaacctgcctccctctcgtccctgtgagctccagccccaagcctggtagaactgcgaactggctgttctgt
 aagtccgtgcccaactctcagcagcagcaccgggcaaatgtccacagccttctcgtcctccaaaccgcatc
 30 caccaactccagcactccgaacttggcccaactgtccaaactgcgaagaactcaactcaaatggaaactgcgcgcca
 gccggcctcagccccatgcaacttcccctgccacatgacctcagacccaacacacttctcgtgctgtacccacctg
 gaggagctgaacctgagctacaacggcatcagcactgtgctcgtccctggccagctcctcgtgtcctgatacctg
 agccgcacacacatctcgtcagctagacccccagcctcaggggctgcattgacctcgccttctatacatgtgat
 ggcaactgctactacaagaaaccttgccggcgggcctggagggtggcccccagggcgcctcctcgtcgtgggcaac
 35 ctaccccactgctcactcaagtacaaacactcacaacoggtgcccgcgagcctgcccctcagctcgtgagtagtacctg
 ctgtgttctcacaacacatgtcaccctggcactgaggacctggccaactctgagctcctcgtgtgtcgtcgtat
 gtgggtggaaactgcgcgcgctgtgacatgacgcgaacccctcgtggagtgcccaataaaatctcccacagctg
 catccagacacctcagccacactgaagccctcagaggcctcgtgtgaaggatagtctctctcagcagctgaaac
 cccagatggtctcgtgctggggcaacctcagctgtcagcactgagtggaactctcactcagactgcatcacc
 40 aaaaacaaaggcatccagggcctggccacagctcgagaagactcaactgtccttcaatcaccataaagaagtgctc
 ttgcgccacctgacgctggcaccctcctcgtgggagcctgctcctcgtcagggaaactggacatgcatggcatctc
 ttcgctcactcagccaggaagacgctccagccactggccgcctgcacctgcacagctctgtatctcgcagatg
 aactcactcaacaggcccgagctcggcactctcaaggacttccctggtctcgtcgtccagcactgtcagacaaac
 cgcactcagtgagctgtggagccggtggcccccacaggggaggtggatggtgggaagaaggtctcgtcgtacatcc
 45 agggactcactcagggcgcctggacacccccagctctcaggaactcactcgaagctgcgaagaacactcagctc
 accttggactgtcagcggaacaaactgtgtaacagctccagccagagatgttggccagctcgcgcgctccagctg
 ctgcgctgagccacaacagcatctcgcagggcgtcaatggctcagctgtgctgcaatgacacagcctgcaggtg
 ctggactcgtcccaatacaaaactggactgtaccatggggcctcgtttacggagctgcgcgcagctggaggccctg
 gacctcagctacaacagccagcccttcagcatcgggggtgtggggcacaacctcagcttctgtggccacctgccc
 50 acctcggctacactcagctcgggcacacaatggcatccacagcgtgtgtccacagcactcgcagacactcgtgt
 tgggctcgtgactcaggggcaatctccctgagccagatgtgggctgagggagacactctatctcgcctcttccaa
 ggctcagagaagcctaactccggtgagactgtccagagatgtcgtcgtacactcgtgcacacctggggcaac
 ctcccagaagctctgagctcgtcgtcctcctgtaacaaatctacctggccttctctcaatctggagcagcctgacacct
 ctgcccacactggaaacctcgtacctggctgggaacacagctgaaagctctgagcaactggagcactgctcctcgtg
 55 acccagctccagcagctggagctcagcaggaacagcatcatctcgtggctcctggtctcttctgtcctggccacg
 aggtcgtgagagctcaactcagctgccaacccctcagcagagaggacactcgtgttgggttctcctcagcagc
 tcccttgaagtctcagatgtgagcgccaacctctgcactcgcctcgtggggcagccttctgtgagctcctcgtcgt

- 17 -

cagggtcaggtcgccgtgctcgtcgtcgtcgcgcagccgctcaagtgtggcagtcggggccagctccagggccgcagc
atcttcgcacaagacctgcgcctctgctggacaagtcctctcctgggactgttttgggt

SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAHPHLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNCNLFLKSVPRFSAGAPRANVTSLSLISNRIH
HLHSDSFVHLSNLRVLNLKWNCPAGLSPMHFPCCMTIEPNTFLAVPTLEELNLSYNGITTVAPLSSLVSLSL
RTSILVLTGPHFTGLHAIPLFLYMDGNCYYKNPCQQAQVEVAPGALLGLGNLTHLSLKYNNLTVEPRRLPPSLDITLL
10 LSYNHITLAPEDLANLTALRLVLDVGGNCRCRDHARNPCRCCKNPKLHPDTFSLHLSRLEGLVLKDSLSLYKLEK
DWRGLGRQLQVLDLSENFLVDYITKTTIFRNLTLQLRLNLNLSFNYHKKVSAHLQLAPSPFGGLVSLKLDLMHGIFF
GLAPGPAAVSAKDFMPSCNLFNTLTLDSRNNLVTIQCEMFTLSRLQCLRLSHNISISQAVNGSQFVPLTRLRVLD
15 LSYNKLDDLYHGSRFTLEPQLEALDLSYNSQPPSMQGVGHNLFSVAQLPSRLYLSLAHNGIHSRVSKLSSASLRA
LDFSGNLSQMWABGDLYLCFFKGLRLNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNINLAFFNWSLTVLP
QLEALDLAGNQLKALSNGSLPPGTRTLQKLDVSSNSIGFVTPGFVLANRLKELNLSANALTKTVPDFWFGRLTETL
NILDVSNANPLHCACAAAFVDFLLEMQAAVPGLSRRVTCGSPQLQGRSIFAQDLRLCLDETSLDCFCGFSLLMVA
LGLAVPMLHHLGWDLYCFHCLAHLPFRERRRGEDTLLYDAFVVFDKAQSAVADWVYNELRVQLEEFRRGRRL
RLCLBERDWLPKTLFENLWASVYSSRTMFVLDHTRVSGLLRASFLAQORLLLEDKRDVVVLILRPAAYRSR
YVRLRQLRCQSVLWHPQPSGGQSFWANLGMALTRDNHRFYNNRFGPTTAE

20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAHPHLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNCNLFLKSVPRFSAGAPRANVTSLSLISNRIH
HLHSDSFVHLSNLRVLNLKWNCPAGLSPMHFPCCMTIEPNTFLAVPTLEELNLSYNGITTVAPLSSLVSLSL
RTSILVLTGPHFTGLHAIPLFLYMDGNCYYKNPCQQAQVEVAPGALLGLGNLTHLSLKYNNLTVEPRRLPPSLDITLL
25 LSYNHITLAPEDLANLTALRLVLDVGGNCRCRDHARNPCRCCKNPKLHPDTFSLHLSRLEGLVLKDSLSLYKLEK
DWRGLGRQLQVLDLSENFLVDYITKTTIFRNLTLQLRLNLNLSFNYHKKVSAHLQLAPSPFGGLVSLKLDLMHGIFF
RSLTNTTLRLPLQLKLSLSLQNLFINQALSIIFGAPPSLLFVLDLSDNRISGAARFVAALGEVDSGVEVWRWPR
GLAPGPAAVSAKDFMPSCNLFNTLTLDSRNNLVTIQCEMFTLSRLQCLRLSHNISISQAVNGSQFVPLTRLRVLD
LSYNKLDDLYHGSRFTLEPQLEALDLSYNSQPPSMQGVGHNLFSVAQLPSRLYLSLAHNGIHSRVSKLSSASLRA
30 LDFSGNLSQMWABGDLYLCFFKGLRLNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNINLAFFNWSLTVLP
QLEALDLAGNQLKALSNGSLPPGTRTLQKLDVSSNSIGFVTPGFVLANRLKELNLSANALTKTVPDFWFGRLTETL
NILDVSNANPLHCACAAAFVDFLLEMQAAVPGLSRRVTCGSPQLQGRSIFAQDLRLCLDETSLDCFCGFSLLMVA

SEQ ID NO:19 (Ovine TLR9)

gtcggcaggggaagtgcgcgcaaacatccttccctgcagctgccgcccaactgccgccagacactctggaga
35 agcgcgattccctgccatggggccctactgtgccgccgcaaccccttctctcctgggtgcaggcgccggcgctggc
agcgcgctggccgagggcaacctgcctgcctctcctgcctgcagctccagccggggtaaggtgaactgcaatgcga
ctggctgtctcctgaagtctgtgcgcgcttcttcggcgccgagcccccggggcaatgtcacacgcctctccttaat
ctccacagcgtatccacacttgccagcactctgactctgtctcaactgtccacgtccggggtcctcaacctcaagt
40 gaactgcgcgcggcgccgctcagcccatgcacttccctgcgcgctgacactcagaccccaacacacttctgcg
ctgtgcccaactcggaggagctgaacctgcagctacaatggcatcacgacgtgcctgcctgcccgactctcctcgt
atccctgtgcctgcagcgcgcaacgcactcctgggtgtataggcccccacacacttcaacggcctgcacgcctgcct
ctgtacatggacggcaactctgataataagaacccctgccagcagcgctggaggtggcccccaggcgccctcct
tgccgtggggcaacctcaacgcactctgctcgaatcaacaacacacacacacacacacacacacacacacacacac
55 cctggagcaacctgctgctgtctcctcaacaac
cgtgtgctctgatgtgggggggaactgcgcgcgtgcgacacacacacacacacacacacacacacacacacacac
ctctcccaagctgcac
ctcaacaactcagaagaactgggttcggcgccctggggcagctcacagtctcgactcgactcgactcgaactcctcta
60 tgaactactcaccac
caagaaggctcctcctgcgcac
gacggcgactctctcctgcctcctcaccac
70 gactgcgcagctgaactctcaac
cctgtcggcgaac
ctggcggtggccaggggctcgtcagggccgctggccgcgctcagcgcaaggactctatgcgaactgcga

- 18 -

cctcaacttcacettggacctgtcacggaacaacctggtagcatccagcaggagatgtttacccgectctcccg
 cctccagtgctctgcccgtgagccacaacagcatctcgacggcggttaatggctcgagattcgtgcccgtgacccg
 cctcgagtgctcgacgtgctctacaacaagctggacctgtaccatgggcgctcgttcacggagctcgccgacgt
 5 gggaggcactggacctcagctacaacagccagcccttcagcatgcaggcggtgggccaacaacctcagcttcgtggc
 ccagctcgccgtccctgcgctaacctcagccttgcgcacaacggcatccacagccgctgtccacagaagctcagcag
 gcctcctgctgcgcgcctggacctcagcggcaactccctgagccagatgtggcgaggaggagacctctatctctg
 ctctctcaaaagcttgaggaaacctggctcagctggacctgtccaagaacacctgcacacctccctgcctcgtca
 cctggataacctgccaaagacctgcggcagctcgcgtctccgggacaataacctggccttcttcaactggagcag
 10 cctgactgtctgcgccagctgggaagccctggatctggcgggaaacacagctggaagccctgagcacaaggacacct
 gccacctggcaccgcgcctcagaagctggacctgagcagcaacagcatcggctttgtgacctcggcttctttgt
 ccttgccaaacggctgaaagagcttaacctcagcgccaacggcctgaagacagtggaacctcttggttcggctcg
 cttaacagagaccctgaattctctagacgtgagcgccaacccgctccactgtgcctcgcgggcgccctttgtgga
 ctctctgctggagatgcaggcgccgctgcctggcgtgcaggcgctcagctgtggcagtcggggcagctcca
 15 gggcgcgagcatctcgccacaggacctgcgctctgcctggatgagacctctcctggactgctttggctctctc
 gctgctaatggcgctggcgctggcgctggccatgctgcaaccaacctctgtgctgggacctgtggtactgctt
 caacctgtgtgtggccatlttgcgcagcggcgggcgagcgggcgaggacaacctcctctacgatgctctcgt
 ggtcttcgacaaggcgagagtgagtgaggcgactgggtgtacaaacagactccgctgcagctggaggagcgccg
 cgggcgccggggcgtcgccctctgcctggaggagcgagactggctccctggcaagagcgtcttcgagaaacctgtg
 20 ggcctcgggtctacagcagccgttaagaccatgttcgtgctggacaacagcagcggtcagtgccctcccgccgc
 cagcttctctgcccagcagcgccctgttggaggacccgaagatgtcgtggtgctggatctcctggcccccgc
 ggcctcagcgcctcgtcagctcgggtgcgcgcagcgccctctgcgcagagcgtcctccttgggcccaacggc
 cagtgggccagggtagcttctggggccaacctgggcatggccctgaccagggacaacccgacctctataaccggaa
 ctcttcggggggcccaacagcagcgaatagcacagatgactgccag

25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgcccgcacccctttctctcctggtagcaggcgccgctggcagcagccctggccag
 ggccacctgcctgcctctcctgcctgtgagctccagccggcggaaggtagaactgcaactggctgtcctgag
 tctgtcgccgcttttggcgggagcccccgggcaatgcacagcctctccttaactccaaacgcgtccac
 30 cacttgcagactctgacttcgtccacctgtccaacctcggggtcctcaacctcaagtggaaactgcgcgcggccg
 ggcctcagcggccatgcactccctgcgcgatgacctcgagcccaacctcctggctgtgcccacctggag
 gagctgaacctgagctacaatggcatcacgacgctgcctgcctgccagttctcgtatccctgtcgtcagc
 cgcaccagcatcctggtgctaggcccccaccttcaacggcctgcagccctgcgtttctgtacatggacggc
 aactgctactataagaacccctgccagcaggcgtggaggtggcccccaggcgccctccttggcctgggcaacct
 35 acgcatcctgtcgtcaagtacaacaacctcacggaggtgcccgcgcctcctccttggcctgggcaacctcgt
 ctgtcctacaaccaactcatcaacctggcaccggagacctggccaactctgactgcctcgtcgtgtgctgatgtg
 ggccgggaactgcgcgcctgcgacacgcgcgcgaacctcagggagtgcccaaaagacttcccaagctgcac
 cctgacaccttcagccactcagcgcctcgaaaggcctgggtgtgaaggacagcttctctcaaaactagagaa
 40 gactggttcggcgctggggcagctccaagtgtcgcacctgagtgagaacttctctatgactacatccaag
 accacacatctcaggaaacctgcaccagctgcgcagactcaacctgtcctcaattaccacaagaaggtctcctc
 gcccaacctgcaactggcaccctccttgggggctgggtgcctggagaagcggagacatccggctcctctc
 cgtctcctcacaaccaacacgctcggcgctgaccacagctgccaaagctccagactctgactgcagctgaac
 45 ttcatcaacaggccagactcagatctctggggcctcccgagcctgctctcgtggaactgtcggacaacccg
 atcagcggaactgcgagccgggtggccgcctcggggaggtggacagcggggtggaactctggcggtggccag
 ggctcgtcgcagcccgctggcgccgctcagcgcaaggacttcatgccagctgcaacctcaacttcaactgt
 50 gacctctcagggacaacctggtgacgtccagcaggagatgtttacccgctctcccgctcagctcagctgcgc
 ctgagccacaacagcatctcgaggcggttaatggctcgcagtttcgtgcgcgtgaccgcgctcgagtgctcgac
 cctctcacaacagctggacctgtacactggcgctcgttcacggagctgcgcagcagcagctcaggaacct
 55 agctacaaagccagccctcagatgcaggcggtgggccaacaacctcagctcgtggccacagctgcgctcctg
 cgctcactcagccttcgcacaacggcatccacagccgctgtcacagaagctcagcagcctcgtcgcggcc
 ctggacttcagcggcaactcctgagccagatgtggggcgagggaacctctatcctgctctcaagggttg
 aggaacctggctcagctggactgtccaagaaccactgcaacctcctcgtcgtcagctggataacctgccc
 aagagcttcggcagctgcctctcgggacaataaacctggcttctcaactggagcagctgactgtctctgcc
 cagctgggaagcctggatctcgggggaacacagctgaaggccctgagcaacggcagctcgcacctggcaacccg
 60 ctccagaagctggagcgtgagcagcaacagcatcggcttctgacccctggctcttctgtcctcccaacccgctg
 aaagagcttaacctcagcgcccaacggcctgaagacagtggaacctctctggctcggctcgttaacagagacctg
 aatacctagacgtgagcgccaacctcctcactgtcgtcggggggcgctctgtggacttctcgtcgagatg

- 19 -

caggcgccgctgcctgggctgtccaggcgcggtcacgtgtggcagtcggggccagctccaggcgccgagcatcttc
gcacaggacctgcgctctgcctggatgagacctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are publicly available. For example, an amino acid sequence for canine TLR9 is available as GenBank accession number BAC65192 and its corresponding nucleotide sequence is available as GenBank accession number AB104899. An amino acid sequence for feline TLR9 is available as GenBank accession number AAN15751 and its corresponding nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of canine TLR9 (See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides 91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID NO:25.

SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLVQAAALALALAQGTLPAPLPCELPQPHGLVNCNWLFLKSVPRFSAAPRGNTSLSLYSNRI
HHLHDYDFVHFVHLRLNLKNCPPASTLSPMHFPCMTITPNTFLAVPTLEDLNLSSYNSTTTVPALPSSLVSLSL
SRTNILLVLPATLGLAGLYALRFLFDNCNCKYKNPQQALQVAPGALLGLNLTHLSLKYNNLTVVPRGLPSPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQOLHPNTHGHLHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITTKTKAFYGLARLRRLNLSFNYHKKVFSAILHLASSFGSLLSLQELDTHGIF
 FRSLSKTTLQSLAHLPMQLRLHLQINPISQAQLSIFGAPFGLRYVLDSDNRISGAARPAATGEVADCGERWVP
 QSRDLALGPLGTPGSSAAMPSCRTINFTLDSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 5 RVLDLSHNKLDLYHGRSFTLEPRLEALDLSYNSQPFMSRGGVHNLFSVAQLPALRYLSLAHNGIHRSRVSQQLRSA
 SLRALDPSGNTTSLQMWABGDLYLRFFQGLRSLVQDLDSQNRLHTLLPRNLNDLPSKSLRLRLRDLNYLAFPNWSSL
 ALLPLKLEALDLAGNLKALSNGLSPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRLNLNSANALKTVEPSPFGSL
 AGALKVLDVTANPLHCAAGCATVDFLLEVQAAVPLGPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSIVNCFSS
 LAVALSLASVAPMLHLQCGWDLVFCFHLCLAWLPRRRRRRGVDALAYDAFVVPDKAQSSVADVVYNELRYQLBERRG
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTIFVLARTDRVSGLLRASFLLAQORLLEDKRDVVVLVILCPDA
 HRSRYVRLRQLRCQSVLLWPHQPSGQSFWAQLGTALTRDNRRFYNNQFCRGPTTA

SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLVQAAALALALAQGTLPAPLPCELPQHVLNCNWLFLKSVPRFSAAPRGNVTSLSLYSNRI
 15 HHLHDYDFVHFVHLRRRLNLKWCNPPASLSPMEFPCMTTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSVLSLS
 SRTNILLVDPATLACGLYALRFILFDGMCYKKNPCQQALQVAPGALLGLNLTHLSLKYNNLTVPVPRGLPPSLEYL
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQOLHPNTHGHLHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITTKTKAFYGLARLRRLNLSFNYHKKVFSAILHLASSFGSLLSLQELDTHGIF
 20 FRSLSKTTLQSLAHLPMQLRLHLQINPISQAQLSIFGAPFGLRYVLDSDNRISGAARPAATGEVADCGERWVP
 QSRDLALGPLGTPGSSAAMPSCRTINFTLDSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 RVLDLSHNKLDLYHGRSFTLEPRLEALDLSYNSQPFMSRGGVHNLFSVAQLPALRYLSLAHNGIHRSRVSQQLRSA
 SLRALDPSGNTTSLQMWABGDLYLRFFQGLRSLVQDLDSQNRLHTLLPRNLNDLPSKSLRLRLRDLNYLAFPNWSSL
 ALLPLKLEALDLAGNLKALSNGLSPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRLNLNSANALKTVEPSPFGSL
 25 AGALKVLDVTANPLHCAAGCATVDFLLEVQAAVPLGPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSIVNCFSS

SEQ ID NO:23 (Canine TLR9)

aggaagggcgtgtgagctccaagcatccttctcgcagctgctgccagcctgccagccagacccctctggagaag
 cccccgcctccctgtcatggggccctgcgctggcgccctgcacccctgtctctcctcgtgcaggctgccgcgtca
 30 gccctggccctggccagggacccctgcctgcctcctcgtcgtgagctccagcccatggccctggtagaactgc
 aactggcgtgtcctcaagtccgtgccccgcctctcctcggaagctgcaccccgcggttaacgtcaccaagccttctctg
 tactccaacgcgtacccacacccctccatgactatgacttctgcactctgtccactcgcggcgcctctcaactctcaag
 tggaaacgcgcgcgcgcagcctcagcccccattgcacttctcctgtcacatgacctgagcccaaacacttctcctg
 gctgtgcccaacctcagaggacgtgaactgtgagctataaacgcatcacgaactgtgccgcgcctgccacgttctcctg
 35 tgtctcctgtccctgagccgacccaacatcctgggtgtcgtggacccctgcacccctggcagggccttatgtccctgcgc
 tctcctgttctctggatggccacactgctactacaagaacccctgccagcggcctgcaggtggcccccaggtgccctc
 ctggcctggcgcaacctcaacacactgtcacctcaagtacacaacactcacctcgtgtgcgcggcgtgcgcgcgc
 agcctggagatcctgctctgtcctacaacacatcatcacctggcagcctggagcactggccaaactgactgtcc
 ctgcgtgtctcctgactgtgggtgggaactgtgcgcctgtgacacacccctgacccgaacccctgagcagctgcccaag
 40 ggcctccccagctgcaccccaacacttcggccacactgagccactcgaaggcctgggtgtgagggaacagctct
 ctctacagcctggacccagcgtggttccatggcctgggcaacactcaggtgtggaactgagtagagaactcctg
 tatgactgcataccaaaaaccaaagcctctcacggcctggccgcgcgcgcctcgaagactcaactgtcctcaattat
 cataagaagggtgctcttggccacactgcattggcactcctcctctcgggagcctactgctcctcctcaggagactggac
 atacatggcactctctcctcctcctcctcagcagaacacagctcagctcgtgcgcacactcgaactgtcctcagcgt
 ctgcatctcagtgaaacttatcagccagggccagcctcagcatctctcggcgcctctcctcggactgcggttcagtg
 45 gaactgtcagacaacccgcatcttgaggactgcagagcccgcgctgccacaagggagtagaggcagactgtggg
 gagagagtctggccacagctccgggacacttgcctcgggcacactgggcaaccccggtcagaggcctctatggccg
 agctcaggaacccctcaacttcaacttggacactgtctcgggaacacactagttagctgttcagccgggagatgtttg
 cggtcggcgccctcagctgctcgtggcctgagccacaacagcatctcgcagggcgtcgaatggctcgcagttcgtg
 cctctgagcaacactcggggtgtcgtggacactgtcccaataacagctggacgtctcagccggcctcgttccagcggt
 50 ctgcgcggcctggaggccttggaactcagctacaacagcagcctcagcatgcggggcgtggggccaacatctc
 agcttctgggacagctggccgctgcgctcactcagcctggcgcaacaaatggcatccacagccggtgtccag
 cagctccgcagcgcctcgtccgggcccctggactcagtgggcaataccctgagccagatggggccgagggagac
 ctctatctcctcctctcccaaggcctgagagactgtgtcagctggacctcgtccagaaatcctcgtgcatccctc
 ctgcagcgaacctggacaacactcccaagagcctcggcgtcctcgttgagcaatcactcgtcctctctc
 55 aactggagcagcctggccctctcaccaaagctggaagcctggagcctggcggaacacagctgaaggcctgagc

- 22 -

SRTN ILVLDPANL AGT HSLRFLFLDGNICYKNPCPQALQVAPGALLGLGNLTHLSLKYNNI/TAVPRGI PPSLEYL
 LLSYNHITITLAPEDLANLTALRVLDVGGNCRCDHARNPCMBCKGFPHLHPDTPSHNLHLBGLVKDSSLYNLN
 PRWFHALGNLVLVDLSNENFLYDCITKTTAFQGLAQLRRNLNSFNHYKKVSFAHLHLAPSFGSLLSLQQLDMHGIF
 FRSLSEITITRSLVHLMQSLHLQMNFINQAQLSIFGAPFGLRYVDLSDNRISGAMELAAATGEVDGGSERVRLPS
 5 GDALAGPPGTPSSRGFMPCCKTLNFTLDLSRNNLVITQPMFARLSRLQCCLLSRNSISQAVNGSQPMPTLSLQV
 LDLSHNKL DLYSGRSFTELPRLEALDLSYNSQPFMSQGVGHNTLSFVAQLPALRYLSLAHNDIHSRVSQICASAL
 RALPDSGNALSMMWABGDLYLHFRGRLSLVRLLDLSQNRHLHTLPTLDNPKSLRLRLRDMNYLAFNNSSLV
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLLDLSNSISFVASSFPALATRLRLNLSANALKTVEPSWPGSLAG
 TLKVLVDVTGNPLHCACGAADFVDFLLEVQAAPVGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFLGILLT
 10 VALGAVPLMHHLGCMWLDLYCHFLCLAWLPRGRRRRGADALPYDAFVDFDQAQSAVADWVYNELSVRLREERRGR
 ALRLCLBERDWLPGKTLFENLWASVYSSRKMFLVLAHTDRVSGLLRASFLLAQORLLBDRKDVVVVLVILRPAHR
 SRYVRI RQLRCRQSVLLWPHQPSGQRSFQAQGLTALTRDNGHYFNQNCRGPTTAE

SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLVQAAALAVALAQGTLPALFPCELQRHGLVNCWDLFLKSVPHFSAAAAPRGNVTSLSLYSNR I
 HHLHDSDFVHLSSRLRLNLKWNCPFASLSPMHFPCHMTLEPHTFLAVPTLSENLNSYNSITTPALPSSLVLSLS
 SRTN ILVLDPANL AGT HSLRFLFLDGNICYKNPCPQALQVAPGALLGLGNLTHLSLKYNNI/TAVPRGI PPSLEYL
 20 LLSYNHITITLAPEDLANLTALRVLDVGGNCRCDHARNPCMBCKGFPHLHPDTPSHNLHLBGLVKDSSLYNLN
 PRWFHALGNLVLVDLSNENFLYDCITKTTAFQGLAQLRRNLNSFNHYKKVSFAHLHLAPSFGSLLSLQQLDMHGIF
 FRSLSEITITRSLVHLMQSLHLQMNFINQAQLSIFGAPFGLRYVDLSDNRISGAMELAAATGEVDGGSERVRLPS
 GDALAGPPGTPSSRGFMPCCKTLNFTLDLSRNNLVITQPMFARLSRLQCCLLSRNSISQAVNGSQPMPTLSLQV
 LDLSHNKL DLYSGRSFTELPRLEALDLSYNSQPFMSQGVGHNTLSFVAQLPALRYLSLAHNDIHSRVSQICASAL
 RALPDSGNALSMMWABGDLYLHFRGRLSLVRLLDLSQNRHLHTLPTLDNPKSLRLRLRDMNYLAFNNSSLV
 25 LPRLEALDLAAGNQLKALSNGSLPNGTQLQRLLDLSNSISFVASSFPALATRLRLNLSANALKTVEPSWPGSLAG
 TLKVLVDVTGNPLHCACGAADFVDFLLEVQAAPVGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

SEQ ID NO:27 (Feline TLR9)

agggctgcgagctccaggcattctctctgccatcgctgccagctcgccacgtcgccacccctctggagaagcccc
 cactccctgcacatgggccccctgccatggcgccctgcacccccctgctctcctgggtgcaggtcgccgcctggccgc
 30 tggccctggcccgccagccacccctgcctgccttgccctgtagctccagcgccacggcctgggtgaattgcgaact
 ggctgtctcctcaagtccgtgccccactctcggcgccgagcgccccctggtaacgtcacccagctctccctgtact
 ccaacgtccatccaccacccctccagcactccgactctgtccactctccagcctggcggtctccactccaaaggga
 actgccaccctggccagcctccagccccatgcacttccctctgtcacatgaccattgcagccccacacctctccggcgc
 tggcccccctggaggagctgaacctgagctacacagcatcacgacagtcacccgcctgcgccacttccctcgtgt
 35 cccctgccttgagcctccacacatcctgggtgctggacccctgccacactccgacaggtcgcaactccctgcctcttc
 tggctcctggatggcaactgcctactacaagaacccctgcccgaggccctcgagggtgcggccgcctcctctg
 gccctgggcaacctcaagcgcctgcactcaagtacaaacacactcactcgggtgcggcccgccctgcggcccccagcc
 tggagactcctgctatgtcctcacacacacatcactccctggcaactgaggactggaacacgcacgcctcgtc
 40 gtgtgctcgatgtgggtgggaactgccctgcctgtgacacacggccgcaacccctgtatggagtgcgccacagggct
 tccgcgcaactgcacccctgcacactcagccacactgaacacactcgaaggccctgggtgtggaaggacagctctctct
 acaacctgaacccccagatgggttcacgcctgggcaacactatggctgagctgagtgagacacttcctatgat
 actgcattcaacaaacacacagcctccaggggcctggcccgagctggcgagactcaactgtctctcaattaccaca
 agaggtgtccttggccacatgcactctggcgccctcctctggggagcctgcctcctgcgacagctggacactg
 atggcatctctctccctgcctgcagcgagacacgcctccgtcgtggctccactgcccactgcctccagagctctgc
 45 acctgcagatgaactcactcaatcaggcccgagctcagactctcggggcctccctggcctgcgatcagctggaac
 tgtcagacaaacgcataagtgaggacatggagctggcgccgtgccacggggagagtggtggtggggagagagctcc
 ggctgcactcctggggacactgcctcggggccacggggacccctagctccgagggtcctatgccagctgcaaga
 cccctcaacttccactctggacactgtcagggaacacactagtgacaacccagccagagatggttgcggcgtctcgc
 gccctccagtgcctgcctcctgagccgcaacagcatctcggaggcagtcacggcctcaactttagccctgacca
 50 gctcgagggtcgtggacctgtcccatggaacacagctggacgtgacacggcgctcttccaggagctgcggcggt
 tggaggcctggacactcagctacaaacagcagcctcagcatgcaggggctgggtgcacaaactcagctctgtgg
 cacagctgcggcgccctggctctcagcctggcgacaaacagcatccacagcctgtgtccagcagctcctgca
 gcgcctcctgcggcgctggactcagcgggcaatgccttgagccgagatgtggcgcgaggagacactgtatctcc
 actctctccaggcctgaggagcctggctcgggtggatctgtccagaaactcctgcacactcctgtgcacgca
 55 ccttggaacacactcccaagagcctggcgctgctgcgtctcctgacaaattatctggctctctcactcaggagca

- 23 -

gcttgggtcctcctccccagcctggaagccctggacctggcgggaaccagctgaaggccctgagcaacggcagct
tgccctaatggaaccagcctccagagcctggacctcagcagcaacagtaacagcttcgtggccctccagcttttttg
ctctggcccaacaggctcgagagagctcaacctcagtgcccaagccctcaagagcgtggagccctccctgggttcggtt
5 cttctagcggggcaacctggaagctctagatgtgactggcaacccctgcaactgcgcctgtggcgccgcttcgttg
accttcttgcgtgaggtgcagggctcagctgcccgccctgcccagggccagctcaagtggtgcagctccaggttcagctcc
agggcccgagcaacctttgcgcaggaatctgcgcctctgcctggatgaggccctctccctggagctgttttggccctct
cgtctcgtgacgctggccctgggctgcccgtgcccactgctgcaacacactctgtggctgggacactctggtaactgct
tccaccttgcctcgtccctggctgcccgcggggcgccggcgccggatgcccctggccctacagctgaccttg
10 tggctctcgcaaggcagcagcgcggtggcgcagctgggtgtacaacagcagctggggtacgggttagagggagcgc
gtggagcagcagcgcctggactgctgctggaggaacgtgactggctaccgggttaaacgctcttttgcaacactgt
gggctcagctttacagcagcgcgaagatgctgtttgtgctggccacacagcagagggtcagcggccctcttgccgcg
cagctttctgctggcccaagcgcctgctggaggacgcgaaggacgttgtgtgctgggtgactcctgcccgcgcgc
agcccccacgcctcccgctatgtgcggctgcgcagcgcctctgcgcagagagcctccctccctggcccccacgc
ccagtgggcagcgcagctctgggcccagcgtgggacggccctgaccaggggaacaacagcactctataaacaga
15 acctctccggggcccccagcagcagagtgacccgcagcagcccaagcctctacacctggcgtctgcctg
ggatgcccgg

SEQ ID NO:28 (Feline TLR9)

atgggccccctgccatggcgccctgcaacccctgtctctcctgggtcagggctgcgcgctggccgtggccctggcc
20 caggggcaacctgcctgcttcttgcctctgtgagctccagcgcacagggcctgggaatgcgcagctggcgtgttcctc
aagtcgctggcccaactctcggcgccagcgcgcctgggtaacgtcaccagccttctcctgtactcccaacgcgcatc
caccaacctccacagctccagcttcttgcctcctccagcctgcggcgtctcaacacctcaaatggaactgccacccc
gccagcctcagcccaactgcaacttccctgtcgaatgaccacttgagcccaacacactctccctggccgtgcccacact
25 gaggagctgaacctgagcttacaacagcactacagcagctaccgcctccggcagcttccctcgtgtccctgtcctgt
gtggcgtaccaacatcctcggctgctggacccctgcaacactgcaggcctgcaactcctgcctttctgttctggat
ggcaactgctactacaagaacccctgcccgcaggccctgcaggtggcccccggggccctctggcctggccgaac
cttacgcaactgtcaactcaagtacaacacactcactgcgggtgcccggcgccctgcccocccagcctggagtaactgt
ctattgtcctacaaccacatcatcacctggcaactgaggacactggcccaactgaccgcctcgtgtgtcgtat
30 gtgggtgggaactgcgctcgtgtgaccacgcccgcgaacccctgtatggagtggcccaagggcttcccgcacctg
cacctgcacacctcaagccacactgaaccaactcgaaggcctggtgttgaaggacagctctctctacaacactgaac
ccagatgggttccatgccctgggcaacctcattggtgctggacactgagtgagaacttctctatgactgcatcacc
aaaaccacagccttccaggcctggcccgagctgcgcagactcaacttctcttccattaccacaagaagactgtct
35 tttgcccaactgcatctggcgccctccttccgggaagcctgctctccctgcagcagctggacatgcatggcactctc
tccgctcgtcagcagcagcactccggctcgtggtccactgcccactccagagctctgcaactcgcagatg
aacttctcaatcaacaggccagcctcagcactcttccggggccttccctggcctgcgatacgtggacactgtctagacaac
cgcataaagtggagccatggcctgcccgcctgcccagggggagtggaatgggtggggagagagctcgggctgcaact
40 ggaggactagctctggggccaccgggcaacccctagctccgaggggctctatgccaggctgcaagacccctcaacttc
accttggacactgtcagggcaacaacactagtgaacaactccagccagagatgttggccggcctctcggccctccagctgc
ctgctccttgagcgcgaacagcatctcagaggcgtcaacggctcacaacttatggcgtgcagcagctcaggggt
ctggacctgtcccaataacaagctggacactgtacactggggcgtcttccacaggagctcccgcgggctggaggccctg
45 gactcagctacaacagcagcctcagcatgcaggggcgtgggttcaacacactcagctttgtggcagacgtccgc
gcctcgcctatctcagctggcgcaacaacgacatccacagccgtgtgtcccagcagctctcagcagccctcgtct
cgggccttggactcagcgcccaatgcttggacggatgtggcgagggaggaactgtatctcacttctccga
ggcctgaggagcctggctcgggttgatctgtccaggaatcgctcgcatacctcttgcacagcaccctgggaacac
50 ctcccagagagcctggcgtcgtctcgtctccgtgacaacttatctggcttcttccactggagcagcctggctcct
ctcccagggctggaagcctggacctggcggggaacacagctgaaggccctgagcaacgcgcagcttgcctaatgga
accagctccagaggctggagcctcagcagcaacagatcagctcgtggcctcagcagcttttctcgtggccacc
aggctcgagagctcaacctcagtgccacggccctcaagacggtggaggccctcctgggttcggttctcagcgggc
acctgaaagtctcagatgtgactggcaacccctgcactgcgctcgtggggcgccctcctgggaactctgtcgt
55 gagggtcaggctgcagtcgcggccctgcccaggccagctcaagtggtggcagctccaggtcagctccaggccgcagc
atctctgcgaggaatctgcgctctgctggatgaggccctctcctgggaactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

SEQ ID NO:29 (Murine TLR9)

```

MVLRRRTLHPLSLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAASCSNITRLSLISNRI
15 HHLHNSDFVHLNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFAMRTLLELNLSYNGITTVPRLPSSLVNLSL
SHTNLTVLDAANSAGLSLRVLFMDGNCYYKNPCTGAVKVTGALLGLSNLTHLSLKYNLTKVPRQLPPSLEYL
LVSYNLIVKLGPEDLANLTSRLVDVGCNCRCDHAPNPCI ECQKSLHLHPETFHHLSHLEGLVKDSSLHTLN
SSWFQGLVNLSDLSNPLYSINHTNAPQNLTRLKLNLSFNRYKKVSVFARHLASSFKNLVSLQELNMNGTF
FRSLNKYTLRWLADLPKLTHTLHQMNFINQAQLSIFGTFRALRFVDLSNRISSGPTLSERATPEEADDAQEELL
20 SADPHAPALSTPASKNFMORCKNFKFTMDLSRNNLVTIKPRMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
VLDLSHKNLDLYHWKSFSELPQLQALDLSYNSQPPSMKGIHNFVSFAHLSMLHSLSLAHDNIHTRVSSHLNSNS
VRFLDFSGNGMGRMWDEGGLYHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSRDNYLSFFNWTSL
FLPNLEVLDLAGNQLKALNTGTLNGLTLLQKLDVSSNSISVVPAPFALAVELKEVNLSHNLIKTVDRSWFGPIV
MNLTVLDRSNPLHCACGAAPVDLLLEVQTKVPLGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGSL
25 AVAVGMVVPILHHLCGNDVWYCFHLCIANLPLLARSRSQAQLPYDAFVVDKQASVADWVYNLRLRVLEEREG
RRALRLCLEDRDWLPGQTLEFENLWASITYGSRKTLFLVAHTRDVSGLLRTSFLAQQRLLLEDKDVVVLVILRPDA
HRSRVVRLRQLRCQSVLFWPQQNGGGFWAQLSTALTRDNRHIFYNQPCRGPTAE

```

SEQ ID NO:30 (Murine TLR9)

```

MVLRRRTLHPLSLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAASCSNITRLSLISNRI
30 HHLHNSDFVHLNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFAMRTLLELNLSYNGITTVPRLPSSLVNLSL
SHTNLTVLDAANSAGLSLRVLFMDGNCYYKNPCTGAVKVTGALLGLSNLTHLSLKYNLTKVPRQLPPSLEYL
LVSYNLIVKLGPEDLANLTSRLVDVGCNCRCDHAPNPCI ECQKSLHLHPETFHHLSHLEGLVKDSSLHTLN
SSWFQGLVNLSDLSNPLYSINHTNAPQNLTRLKLNLSFNRYKKVSVFARHLASSFKNLVSLQELNMNGIF
35 FRSLNKYTLRWLADLPKLTHTLHQMNFINQAQLSIFGTFRALRFVDLSNRISSGPTLSERATPEEADDAQEELL
SADPHAPALSTPASKNFMORCKNFKFTMDLSRNNLVTIKPRMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
VLDLSHKNLDLYHWKSFSELPQLQALDLSYNSQPPSMKGIHNFVSFAHLSMLHSLSLAHDNIHTRVSSHLNSNS
VRFLDFSGNGMGRMWDEGGLYHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSRDNYLSFFNWTSL
40 FLPNLEVLDLAGNQLKALNTGTLNGLTLLQKLDVSSNSISVVPAPFALAVELKEVNLSHNLIKTVDRSWFGPIV
MNLTVLDRSNPLHCACGAAPVDLLLEVQTKVPLGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

```

SEQ ID NO:31 (Murine TLR9)

```

tgtcagaggaggacctcggggagaatcctccatctcccaacatgggtctcgcgtcgaaggactctgcacccttgtcc
ctcctcggtagaggctcgaagtctcgtgctgagactctggcctcgggtacacctgctcctcctacacctgtgagctg

```

- 25 -

aagcctcatggcctgggtgaactgcaattggctgttcctgaagtctgtaccgcgtttctctgcggcagcatcctgc
 tccacaatcaccgcgcctctccttgatctccaacgctatccaccactgcacaaactcgcactctgtccacctgtcc
 aacctgcggcagcatgaaacctcaagtggaactgtccaccactggccttagccccctgcactctctctggccactg
 accattgagccccagaaacctctcctggctatcgctacactggaggagctgaaacctgagctataaagggtatcaccact
 5 gtgcgccgactgcgccagctccctgggtgaactcgagcctgagccacacacaaactcctgggtctctagatgctcaacgc
 ctgcggcgccatcacgctctggcggtctctctcatggacgggaactgctactacaagaacctctgcacaggagcgt
 gtgaagggtacccacaggcgccctctcctggcctgagcaactctcaccactctgtctctgaagtataacaacactcaca
 aagggtgcgcgcacaaactgcgcacagcctggagtgactctcctgggtgctcctacaacactcattgtcaagctggggcct
 gaagacactgcggccaactctgacactccctctcctgactctgatgtgggtgggaattgcgcctgcctgcgacacactgcgcct
 10 aatccctgtatagaattgtggccaagaactccctccactgcacccctgagacctcctcatcacacagcactctggaa
 ggctcctgggtgctgaaggacagctctctccatacactgaactctcctgggttccaagggtctgggtcaacctctcctggt
 ctggacctaaagcgtgagaactttctctatgaaagcatcaaccacacaaatgcctttcagaagcctaaacccgctgggc
 aagctcaacctgtctctcaattaccgcaagaaggatcctttgcgcgcctccacctggcgaagtctctcaagaac
 ctgggtgctactgcaggagctgaaactgaacggcactctctcctgcgtcgtcacaagtcacagctcagatgggtg
 15 ggcgactctgcaccaactccacactctgcatcttcaaatgaactctcaaccaggcagctcagcatcttctgtt
 acctccgagccctctgcctttgtggactgtcagacaactcgcactcagtgggcctcacaacctgtcagagccaccc
 cctgaaggaggcagatgagtcagagcagcaggaggagctgtgtctgcggactcctcaccagctccactgagcaccct
 gcttctaaagaactctcatggacaggtgtgaagaactcgaagtccacctggacctgtctcggaacaaactcctggtgact
 20 atcaagccagagatggttgtcaactctcagcctccagtgctcttagcctgagccacaaactccatctgcacagct
 gtcactggcctcagactctcctgcgcctgactaatctgcagggtgtgagcctgcccatacaaaactcgaactctgac
 caactggaaactcgttcagtgagctaccaagcttgacggcctggacagctgacacacacacacacacactctagcat
 aagggtataggccacaattctcagttttgtggccactctgctccactgctacacagccttagcttgccacacaaatgac
 25 ctatacccgctgtgctccacatctcaacagcaactcagtgaggtttcttgactcagcggcgaacgctatgggc
 cgcactgtgggtgagggggggccttctcctcaattcttctccaaggcctgagtgccctgctgaagctggacactgtct
 caaaataacctgcatactcctcggcccccagaaccttgacaacctccccaaagagcctgaagctgctgagcctccga
 gacaactacatctcttctttaaactggacagctctgctcctcctgcaccaactggaaagctcctagaacctggcaggg
 aaccagctaaaggccctgaccaatggcaccctgcctcaatggcaccctcctccagaacctggagtgtcagcagcaaac
 30 agtatacgtctcctgggtccagccctctctgcctctggcgctcagagctgaaggagtgcaacctcagccacacaaact
 ctccaagcgggtggaatcgctcctgggtttggggccactgtgatgaacctgacagctctagacgtgagaagcaacct
 ctgcactgtcctctggggcagcctctcgtagactactgttgagggtgcagacaaaggtgctcctggcctggctcaat
 ggtgtgaagtgtggcagccccggccagctgcaggggcctgagcatctctgcacaggaacctgcggcctgtgctggat
 gaggctcctctcttgggaactgctttggcctttcactcttggtctggccgtgggcaatgggtggtcctatactgca
 35 catctctgcggctgggacgtctggtactgtttctcactgtgctcctggcctgacctctgtctggcccgacggcga
 cgcagcgcccaagctctcctcctatgatgctctcgtggtgttcgataaggccacagagcgcagctgcggcaatcgggtg
 tataacgagctcggggtgcggctggaggagcggcgggctgcgcagccctacgctctgtctggagaccagagat
 tggctgcctggccagagcactctcgagaacctctggccttccactctgggacggcgaagactctatttgtctg
 gccacacaggacgcgctcagtggtcctcctgcgcacacagctcctcgtgctcagcagcgctgttggaagccgc
 aaggacgtgggtgtgtgtggtgactcgtgcctcggatgcccaacgctcctcctatgtgcgactgcgccacagctctc
 40 tggcccgagactgtgctcctctggcccccagaccccaacggcgagggggctctggggccagctgagtaacgc
 ctgactaggggcaacgcgcaactctataacagaaactctcgtcggggagcctacagcagaatagctcagagcaaac
 gctgggaacagctgcatctctatgcctgggtcccgagttgctcgtcgc

SEQ ID NO:31 (Murine TLR9)

atggttctcctgcgaaggactctgcaccccttgtccctcctggtagcaggtcgagtgctgggtgagactctggc
 45 ctgggtacactgcctgcctctcctacactgtgagctgaagcctcatggcctgggtgactgcaattgggtgtctcct
 aagctgtgaccgcgtctctctgcggcagcatcctgctccaacactcaccgcctctccttgatctccacacactc
 caccactgcacaactcgcactctgctccactgtccaactcggcgagctggaactcgaatgggaactgtgcacac
 actggccttagccccctgcaactctcttgccacatgacacttgagccacagaacctctcctggctatcggtacactg
 gaggagtgcaacctgagctataaaggatcaaccaactgtgcgcgactgcgcagctcctcctgggtgaactgagcctg
 50 agccacaccaaactcctgggtctatagatgctaacagcctgcgcggcctatacagcctgcgggtctctctaatggac
 gggaactgctactacaagaacctcctgcaaggagcgtggaagtgaccccaggcgccctcctgggctgagaact
 ctccacctctgtctatgaagtataacaactcacaaggctgcccgcaccccccagcctggagtgactcct
 ctggtgtcctataaactcattgtcaagctggggctggaagcctggccaactctgacactcctctcgagtactgtat
 ggggtgggaattggcgtcgtcgcacactgcgcccaactcctgtatagaatgtggccaagaactcctcactcct
 55 caccctgagacactcctcactcactgagccactcgaaggcctgggtgctgaaggacagctcctcctacactgaac
 ctctcctgggttccaaggctcctgaactcctcctggtgctggaactaagcgaactctctctatagaagcactcaac
 cacaccaatgctctcagaacctaaacgcctgcgcagactcaacctgctcctcaattaccgcaagaaggatacc

- 26 -

tttgcgccctccacctggcaagtctctcaagaacctgggtgctactgcaggagctgaacatgaacggcatcttc
 ttcgcctgcgtcaacaagatcacagctcagatggctggcgatctgcccaaacctccacactctgcattctcaaatg
 aactcatcaaccaaggacagctcagcatcttctggtaacctccgagccctctgcctttggactgtgcagacaat
 cgcattcagtgggcctccaacgctgtcagaagccaccctgaagaggcagatgatgcagagcagggagctgtgt
 5 tctgcggatctccacccagctccactgagcaccctgctctcaagaacctcaatggacaggtgtgaagaactccaag
 ttcaccatggagcctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaattctctcaacgctccag
 tgtcttagctgagccacaacctccatttgacacaggtgtcaatggctctcagtttccgcgcgtgactaatctgcag
 tctgtggactgtcccaatacaaaactggactgtaccactggaaatcgttcagctgagctaccacagcttgaggcc
 10 ctggacctgagctacacacagccagccctttagcatgaagggtataggccacaatttcagtttctgtggccatctg
 tccactgtacacagccttagctggcgcacacaaatgacattcatacccgctgtgctctccatctcaacacgcaactg
 gtgaggtttcttgactctcagcggcaacggtatggcgccgactgtgggtagaggggggcctttatctccatttcttc
 caagcgctgagtgccctgctgaagctggacctgtctcaaaaataacctgcattctcccgcccccagaaccttgac
 aacctccccagaagcctgaagctgctgagcctccgagacaaactacctatttcttaactggaccagctgtgtcc
 15 tctccgcccaacctggaaagctctagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgctcaat
 ggcaccctctccagaaactggatgtcagcagcaacagttatgctctctgtggtccagcctctctgcctctggcg
 tgcagctgaaagaggtcaacctcagcccaacattctcaagacggtggatgctctgggtttggggccatttgtg
 atgaagctcagacttctagagctgagaagcaacctctgcactgtgctgtggcgagcctctgctagacttaactg
 tggaggtgcagaccaaagtgctgtgacctggctaatgggtggaagtgtggcagcccgccgagctgaggcgctg
 agcatctctcgacaggacctgcggctgtgctggatgaggtctctctctgggactgtttggc

SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVISLSLSSNRI
 HHLDSDFAHLPSLRHLNWKWNCPPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTPALPKSLISLS
 SHTNILMLDSASLAGLHARFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNLNTVVRNLPSSLEYL
 25 LLSYNRIVKLAPEDLANLTLRVLVDVGGNCRCDHAPNCPMBPCRHFQQLHPDTPSHLSRLEGLVKDSSLWLN
 ASWFRGLGNLRLVLDSENFLYKCIITKKAFCQGLTQLRKLNLFSNYQKRVSFHLSLAPSGSLVALKELDMHGF
 FRSLDETTTLRLPLARLPLQLTLRLQMNFINQAQLGIFFRAPGLRYVLDSDNRIISGASELTATMGEADGGKVLWLP
 GDLPAPAVDTPSSSDFFPNCSTLNFMTLLDLNRNLLVTVPQPMFAQLSHLQCLRLSHNCTISQAVNGSQFLPLTGLVQ
 30 LDSLNRKLDLYHEHSFTELPRLEALDLSYNSQPPGMQGVGHNFVSFAHLRLTLRHLSLAHNNIHSQVSSQQLCSTSL
 RALDPSGNALGHMWABGDLYLHFFQGLSLIWLDSLQNRRLHTLLPQTLRNLPKSLQVLRRLDNYLAFKWNLSHF
 LPKLEVLDSLGNRLKALTNGSLPAGTLRLRLDVSNCNISFVAPGFFSKAKELRELNLSANALKTVDHSWFGPLAS
 ALQILDVSNANPLHCAAGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLA
 VALGLGVPLMLHLGCGWDLNYCFHLCLAWLPWRGRQSGRDEALPYDAFVVDKTSQAVADVVYNELRQLEBCRG
 35 RWALRLCLBERDWLPKTLFENLWASVYGSRTLFVLHAHTDRVSGLLRASFLLAQQLRLLEDKDDVVLVILSPDG
 RRSRYVLRQLRCQSLVLPWHPQSGQRSFWAQLGMLALTRNHHFYNNRNCQOPTAE

SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVISLSLSSNRI
 HHLDSDFAHLPSLRHLNWKWNCPPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTPALPKSLISLS
 40 SHTNILMLDSASLAGLHARFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNLNTVVRNLPSSLEYL
 LLSYNRIVKLAPEDLANLTLRVLVDVGGNCRCDHAPNCPMBPCRHFQQLHPDTPSHLSRLEGLVKDSSLWLN
 ASWFRGLGNLRLVLDSENFLYKCIITKKAFCQGLTQLRKLNLFSNYQKRVSFHLSLAPSGSLVALKELDMHGF
 FRSLDETTTLRLPLARLPLQLTLRLQMNFINQAQLGIFFRAPGLRYVLDSDNRIISGASELTATMGEADGGKVLWLP
 45 GDLPAPAVDTPSSSDFFPNCSTLNFMTLLDLNRNLLVTVPQPMFAQLSHLQCLRLSHNCTISQAVNGSQFLPLTGLVQ
 LDSLNRKLDLYHEHSFTELPRLEALDLSYNSQPPGMQGVGHNFVSFAHLRLTLRHLSLAHNNIHSQVSSQQLCSTSL
 RALDPSGNALGHMWABGDLYLHFFQGLSLIWLDSLQNRRLHTLLPQTLRNLPKSLQVLRRLDNYLAFKWNLSHF
 LPKLEVLDSLGNRLKALTNGSLPAGTLRLRLDVSNCNISFVAPGFFSKAKELRELNLSANALKTVDHSWFGPLAS
 ALQILDVSNANPLHCAAGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

SEQ ID NO:35 (Human TLR9)

aggctggtataaaaaattctctctctctctctctctctgagccgctgctgcccctgtgggaagggagcctcgagtgtga
 agcatcctctctctgagctgctgtccagctctgcccgccagacccctcgaggaagccctgcccccagatgggt
 tctctgcgcgagcgcctgcacccgctgtctctctggtgcagcccatcatgctggccatgacctggccctgggt

- 27 -

acccttgccgtgcccttccatccctgtgagctccagccccacggcctggtagaactgcaactggctgttctcgaagtct
 gtgccccacttctccatggcagcagccccgtggcaatgtccacagccttctcctgtctcccaacgcgcatccaccac
 ctccatgatctctgacttctgcccacactgcccagcctgggcatctcaacctcaagtggaaactgcccgcgggttgcc
 ctccagccccatgcaacttccctggccacatgaccatcgagccagcagccttctgggtctggcccaacctgggaagag
 5 ctaaacctgagctacaaacacatcatgactgtgctgcgctgcccacaaatccctcatatccctgtccctcagccat
 acccaacatcctgatgctctgtagactctgccagcctgcgcgctgcgctgccttccatctcatggagcgcaac
 tgttattacaagaaacccctgcaggcaggcactggagggtggccccgggtgccctccctgggctgggcaacctcaac
 cactctgcactcaagtacaaacaaactcactgtggtggcccgcaactgcctccagcctggagatcatctgctgtgt
 10 tccatacaacacactcgtcaaacctggcgcctgaggacactggccaaatctgacccgcctgggtgtgctcgatgagtgggc
 ggaaattggccgcgtgcgacacccgtcccaacccctgcactggagtgagctcgtcaactccccagctacatccac
 gataccttcagccacactgagccgtcttgaaggcctggtgttgaaaggacagtctctctccctggctgaatgccagt
 tgggttcctgggtgggaaacctccagtgctggacctgagtgagaaactctctctcaaaatgcatacctaataaac
 aaggccttcagggctcaaacacagctgcgcaagcttaacctgtccttcaattaccaaaaggaggtgtcctttggc
 cactctgtctctggcccttctctcgggagcctggtgcgcctgaaggagctggacatgcagggcatctctctccgc
 15 tcaactcgatgagacacacgtccggccactggccgcctgccatctcctcaagactctggtctgtagatgaactc
 atcaacacaggccagctcggcatctcagggacctcctggcctgcgtacgtggaaactctcggcaaacccgcatc
 agccaggctctcggagctgacagccacacatggggaggagcagattggaggggagagctctggtctcggcctggggac
 ctctgctccggccagctggacactccagctctgaagactctcaggcccaactgcagcactccactcaactctg
 20 gatctgcacgggaacaaactcgtgacccgtgcagccggagatgtttcccagctctcgcagcctcagctgctcgcg
 ctgagccacaaactgcactcgcagggcagctcaatggctccaggttctcctgcgctgcagcgtctgtagagctgcagac
 ctgtcccgcaataagctggacactctacacagcagcactcaatccaggaactccgcgagctggagccctggacact
 gactacaaacagccagccctttggcatgcaggggctggggccacaaactcagctctgtggctcaactgcgcacccctg
 25 gcccactcagctcagctcccccacacaaactccacagccaaagtgtccagcagctctgcagtaagctcgtcggggc
 ctggactcagcggcaatgcatctggcccatatgtgggcccaggaggagactctatctgcaactcttccagggctg
 agcgggttgactgggtggactgttcccgaacccgctgcaacccctcctgcccacaaactctgoccaactccccc
 aagagctacaggtgtcgtgctctccgtgacaatacctggcctctttaagtggtggagcctccactcctgccc
 aaactgggaagtctctgactcgtggcaggaaacccgctgaaggccctgaccaatggcagcctgctctgtggcaccgg
 30 ctccggagctggagctcagctgcacacagcatcagctctcgtggcccgctctcttccaaagccaaagagctg
 cgagagctcaactcttagcgcacaaacccctcaagacagctggaccaactcctgggttgggccctgcgcagtgccctg
 caaatactagatgttaagcgcacaaactcctgcaactgcgccttgggggccctcttgagactctcctgctggaggtg
 caggctcgcgtgcccgtctctgcccagccgggtgaagtgtggagctccgggccaagctcaggggcctcagcactctt
 35 gcaaggagctcgcgctctcgtcgtggatgaggccctctcctgggaactgtttgcgcctctcgtcgtggtgctggtg
 ctgggctcgtgggtgtgccatctgcatacactctctggctgggaactctctgtagctctcccaactcgtcgtggcc
 tggcttccctggtggggggcggaagtggcgagatgaggatgcctgcccacagtagcctctgtggtctctggac
 40 aaaaacgcagagcgcagctggcagactgggtgtacaacagagctctcggggggcagctggagaggtgcctggggcgtg
 gcaactcgcgtctgctctggaggaaacgcgactggctgctggcaaaacctcttgagaaactctgggctcgtcgtc
 tatggcagcgcgaagacgctggtttgtgctggcccaacggacccgggtcagtggtctcttgccggcagcgtctcgt
 ctggcccccagcgcgctcctggagggaacgcgaagacgtcgtggtctggtgatcctgagccctgacggccgcgc
 45 tcccctcagctgggctgcgcgcagcgcctctgcgcgcagagtgctctcctctggccccacagccaggtggtcag
 cgcagctctctggccccagctgggcatggccctgacagggaacaaacacactctataaacggaaactctcggcag
 ggacccagcgcgaatagccgttgagcgggaatctctgcaactcgcacactccacactcactcctcctcgtcgtc
 tggctgacacctccctgctgcctcctcaccacacactgacacagaga

SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcgcagcgcctgcacccgctgtctctcctgggtcaggccatcatgctggccatgacctggcc
 ctgggtacatctgctgctctctcactcctgtgagctccagccccacggcctggtagaactgcaactggctgttctcgt
 aagctctgtgccactctcctcgtggcagcaccctggcaatgtccacagccttctctgtctccccaacgcgta
 caccactccatgatcttgaaacttgccacactccgcagcctgcggcatctcaacctcaagtggaaactgcccgcg
 50 gttggctcagccccatgcaacttccctgcacatgacacatcgagccccagcactcttggctgtggccacactg
 gaagagctaaactgagctacaaacacatcatgactgtgctgcgctgcccacaaatccctcatatccctgtccctc
 agccatacaacactcctgatctgagactctgcagcctcgcgcgctgcgctgcctcctcatatcattgagc
 ggcaactgttattacaagaaacccctgcaggcaggcactggagggtggcccggtgccctccttggcctgggcaac
 ctcaacccactgtcaactcaagtacaaacaaactcaactgtggtggcccgcaactgcctctcagcctggagatctc
 55 ctgtgtctcacaacgcgactcgtcaaacctgggcctgaggacactggcaactgcagcgcctgggtgtgctcgt
 gtgggggggaaattgcgcgcgctgcgacacgctcccaacccctgcatggagtgccctcgtcacttccccagcta
 cactccgatcacttcggccactcagcgcgtcttgaaaggcctgggtgtggaaggacgtctctcctcctcctggctgaat
 gccagttggttccgtgggctgggaaacctccagtgctggacactgagtgagaaactctctcacaagtgcataact

- 28 -

5 aaaaaccaggccttcaggccctaacacagctgcgcaagcttaacctgtccttcaattacccaaagagggtgtcc
 ttggccacactgtctctggcccttctctcgggagcctgggtgcgcctgaaggagctggacatgcacggcatcttc
 ttccgctcaactcgatgagaccagctccggccactggccgcctgccatgctccagactctgcgtctgcagatg
 aactctatcaaccaggccctcagctcggaatctctcaggcccttccctggcctgcgcctacgtggagccttgcggaac
 10 cgcctacagcggagctctcggagctgacagccaccatgggggaggcagatgagggggagaaaggtctggctggaagct
 ggggaccttggctccggccctcagctggacactccagctctgaagacttcaggcccaactgcagacaccccaacttc
 accttggatctgtcacggaaacaacttggctgacgctgcagcggagatgtttggccacgctctcgcaactcgagctg
 ctggccttgagcccaactgtcatctgcagggcagtcactggctccagcttccctgcgctgaccggctctgcaggtg
 15 ctgagcctgtcccccaataagctggacactctaccacagagcactcatcagggagctacccgagctggaggccctg
 10 cactcagctacaaacagccagcccttggcactgcaggcgtggggccacaacttcaagcttctggcctcaactgcgcg
 accctgcgcacactcagcctggcccaacaacactccacagccaaagtgtccacagcagctctgcagtcagctgcgcg
 cggccctggacttcagcgcaatgcactggggccatattgtggccgaggagacactctatactgcacttctccaa
 ggccctgagcgggtttgatctggctggacttgtccagacccgctgcacacccctctgccccaaacctgcgcaac
 ctccccaaagcctacaggtgtgctgctctccgtgacaattacctggcctctcttaagtggggagcctccacttcc
 15 ctgccccaaactggaaagtctctcgacctggcaggaacccggctgaaggccctgaccaatggcagcctgctgtgctggc
 acccggtctcggaggctggaagtgcactgcaacagcactcagctctgtggcccccggcttcttttccaggcccaag
 gagctgcgagagctcaaccttaagcgccaaacccctcaagacagtggaacactctgggtttggggccctctggagct
 gcctgcgaataactagatgttaagcgccaaacccctctgcactgcgcctgtggggcgccctttagtgacttctgctg
 20 gaggtgcaggctgcgcgtgcggcgtctgcccagccgggtgaagtgtggcagctccggccagcctcagggcctcagc
 atctttgcacaggacactgcgcctctgctggatgaggccctctcctgggactgtttcgc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and
 nucleic acid molecules encoding them are provided by the invention. The chimeric
 25 polypeptides include at least one amino acid substitution based on a comparison of
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in
 Figure 1, can be used to identify and select individual amino acid positions and even
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or
 substitutions can be effected using methods known to those of ordinary skill in molecular
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to
 alter conformation. For example, conservative amino acid substitutions generally may be
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase, β -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art. The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be "operably linked" when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be "operably linked" when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A "TLR9 ligand" as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:



wherein X_1 and X_2 are nucleotides, N is any nucleotide, and N_1 and N_2 are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments X_1 is adenine, guanine, or thymine and/or X_2 is cytosine, adenine, or thymine. In other embodiments X_1 is cytosine and/or X_2 is guanine.

Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the β -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 25 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.

Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs, such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNFCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNFCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

MBD-1	R-XXXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
hTLR9	Q-XXXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
mTLR9	Q-XXXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5 hTLR9	Q-VLDLSRN-K-L-D-L-Y-HESFTLELP-R-L-EALDLS-Y	SEQ ID NO:68
mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLELP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including κ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- κ B. Examples of such promoters include, without limitation, those for NF- κ B, IL-1 β , IL-6, IL-8, IL-12 p40, CD80,
25 CD86, and TNF- α . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase, β -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- α). In
30 certain embodiments the reporter is selected from IL-8, TNF- α , NF- κ B-luciferase (NF- κ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

Mol Cell Biol 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- κ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, IkB, NF- κ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

Cells and Tissues. Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNAlater™ (Ambion®, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

First-strand cDNA synthesis. Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using
5 SUPERSCRIP™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T₍₁₈₎]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl₂) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERSCRIP™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

PCR amplification. TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:
20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

Cloning and sequencing. The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZErO™ - 2

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco* RV restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

Results. Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19, 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, www.cmbi.kun.nl/bioinf/tools/clustalw.shtml). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple sequence alignment are presented in Figure 1. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- κ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- κ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- κ B-luciferase reporter plasmid (NF- κ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 μ M, TCGTCGTTTGTGCTTTTGTGCTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 μ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- κ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 μ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 μ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- κ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates (2×10^6 cells/plate) with 16 μ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- κ B-luciferase activity after stimulation with
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- κ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- κ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20 3×10^6 293T cells were electroporated with 5 μ g NF- κ B-luc plasmid and 5 μ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975 μ F. After the electroporation the cells were plated in 96-well cell culture plates at 2.5×10^4 cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.
- 5
2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.
- 10
4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
- 15
5. A vector comprising the nucleic acid of any of claims 3-4.
6. A cell comprising the vector of claim 5.
- 20
7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.
8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:
- 25
- aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;
- 30
- generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a

CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5 12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10 14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:
15 contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;
measuring a signal in response to the contacting; and
identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20 17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/TL-1R signal transduction pathway.

25 18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30 20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
TCCATGACATTTTTTGATGTT	(SEQ ID NO:49),
TCCATGACCTTTTTTGATGTT	(SEQ ID NO:50),
TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
TCCATGACGGTTTTTGATGTT	(SEQ ID NO:54),
TCCATGACGCTTTTGATGTT	(SEQ ID NO:55),
TCCATGACGTATTTTGATGTT	(SEQ ID NO:56), and
TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

2/4/09, EAST Version: 2.3.0.3

2/4/09. EAST Version: 2.3.0.3

2/4/09, EAST Version: 2.3.0.3

Figure 2





Figure 3



SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH
 University of Saskatchewan
 Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040W000

<150> US 60/412,479
 <151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1
 <211> 1032
 <212> PRT
 <213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160
 Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
 180 185 190
 Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270
 Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300
 Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335
 Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350
 Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365
 Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys 625 630 635 640		
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu 645 650 655		
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser 660 665 670		
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn 675 680 685		
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu 690 695 700		
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala 705 710 715 720		
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn 725 730 735		
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn 740 745 750		
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly 755 760 765		
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly 770 775 780		
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg 785 790 795 800		
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser 805 810 815		
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val 820 825 830		
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe 835 840 845		

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
1025 1030

<210> 2
<211> 821
<212> PRT
<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270
 Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300
 Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335
 Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350
 Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365
 Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380
 Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
 405 410 415
 Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
 420 425 430
 Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
 435 440 445
 Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
 450 455 460
 Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
 465 470 475 480
 Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725	730	735	
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn			
740	745	750	
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly			
755	760	765	
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly			
770	775	780	
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg			
785	790	795	800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser			
805	810	815	
Arg Asp Cys Phe Gly			
820			
<210> 3			
<211> 3099			
<212> DNA			
<213> Rattus norvegicus			
<400> 3			
atgggtctct gtcgcaggac cctgcacccc ttgtctctcc tgggtacaggc cgcagtgtctg			60
gctgaggctc tggccctggg tacactgcct gccttcctac cctgtgaact gaagcctcat			120
ggcctggtag actgcaactg gctcttcttg aagtctgtgc ctcacttctc tgccgcagaa			180
cccgttcca acatcaccag cctttccttg atcgcaacc gcattccacca cctgcacaa			240
ctcgactttg tccactctgc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc			300
cctggcctca gccctctgca cttctctctg cgcattgacca ttgagcccaa aaccttctg			360
gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc			420
ctgccagct cctgcagcaa tctgagccta agccacacca acatcctggt actgatgac			480
agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac			540
aagaaccctt gcaacggggc ggtgaacctg acccgggacg ccttctctggg cttgagcaac			600
ctcaccact tgctccctaa gtataacaac ctcacagagg tgccccgcc actgcccccc			660
agcctggagt acctcctgct gtctataac ctcactgtca agctgggggc cgaagacct			720
gccaacctga cctccctctg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac			780

gcccccgcacc tctgtacaga atgcgcggcag aagtcctctg atctgcaccc tcagacttct 840
 catoactctga gccaccttga aggcctgggtg ctgaaggaca gttctctcca ctogctgaac 900
 tccaagtgggt tccaggggtct ggcgaacctc tcgggtgctgg acctaaagca gaactttctc 960
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctcgg caagctcgac 1020
 ctgtccctca attactgcac gaaggatctg ttcgcccgc tccacctggc aagttccctc 1080
 aagagcctgg tgcctgcgca ggagctgaac atgaacggca tcttctctcg ctactctaac 1140
 aagaacacgc tcaggtgggtg ggctgggtctg cccaagctcc acacgctgca ccttcaaatg 1200
 aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
 gacctgtcca ataactgcac cagcgggcct ccaacgctgt ccagagtgcg ccccgaaaaa 1320
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccgagc 1380
 actcccgctc caaagaacct catggctcagg tgtaagaacc tcagattcac catggacctg 1440
 tctcggaaca accaggtgac tatcaagcca gagatgtctg tcaacctctc ccatctccag 1500
 tgtctgagcc tgagccacaa ctgcctcgcg caggctgtca atggctctca gttcctgccg 1560
 ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
 tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
 cttagctcgg cacacaatga cattcacagc cgcgtgtcct cagcctctca cagcacctca 1800
 gtggagtatc tggacttcag cggcaacggt gtggggccgca tgtgggacga ggaggacctt 1860
 tacctctatt tcttccaaga cctgagaagc ctgattcacc tggacctgtc tcagaataag 1920
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctc gcccaactcg 2040
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaat 2100
 ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
 gtggatcgct cctggtttgg gccatttgtg atgaacctga cgggtctaga cgtgagcagc 2280
 aacctctcgc attgtgcctg cgggtgcacc tttgtagact tactgtctgga agtcgagacc 2340
 aagtgccctg gctcgggtaa cgggtgtgaag tgtggcagtc cccgccagct cgaggccgcg 2400
 agcatctttg cgcaagacct gcgctgtgtc ctggatgacg tctcttctcg ggaactgctt 2460
 ggctcttcc cctcggctgt ggccgtgggc acggtgtgtc ctttactgca gcactctgc 2520
 ggctgggacg tctgttactg ttccatctg tgctggcat ggtaccttt gctgaccctg 2580

```

ggcggcgca ggcgccaagc tctcccttat gatgccttcg tgggtgttga taaggcgag 2640
agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700
cgcgagagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gaaactcttc 2760
gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct gggccacacg 2820
gacaaggta gttggcctcct ggcgaccagc ttctgtctgg ctacagagcg cctgtctggag 2880
gaccgcaagg acgtggtggt gttggtgata ctgcgcctcg atgcccacg ctcccgtac 2940
gtgcaatgc gccagcgct ctgcgcgagc agtgtgtctc tctggcccca tcagcccaac 3000
gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060
tataaccgga acttctgcgc gggacctaca gcagaatag 3099

```

```

<210> 4
<211> 2463
<212> DNA
<213> Rattus norvegicus

```

```

<400> 4
atggttctct gtcgcaggac cctgcacccc ttgtctctcc tgggtacagge cgcagtgtctg 60
gctgaggtgc tggccctggg tacctctgct gcttctctac cctgtgaact gaagcctcat 120
ggcctggtag actgcaactg gctcttctcg aagtctgtgc ctcaattctc tgcgcagaa 180
ccccgttcca acatcacagg ccttctcttg atgcacaacc gcattcacca cctgcacaac 240
ctcgactttg tccactctgc caactgtgca cagctgaacc tcaagtggaa ctgtccgccc 300
cctggcctca gcccttgca ctctctctgc cgcattgaca ttgagcccaa aaacttctctg 360
gctatgcgca tgcctggaaga gctgaacctg agctataacg gtatcacacc tgtgccccgc 420
ctgcccagct cctctgacaa tctgagccta agccacacca acatcctggt actcgatgcc 480
agcagcctcg ctggcctgca cagcctgca gttctcttca tggacgggaa ctgctactac 540
aagaacccct gcaacggggc ggtgaacgtg acccggagc ccttctctgg cttgagcaac 600
ctcacccact tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc 660
agcctggagt acctcctgct gtccataaac ctcatgtca agctgggggc cgaagacctc 720
gccaacctga cctcccttcg aatgcttgat gtgggtggga attgcctgct ctgtgatcac 780
gcccccgacc tctgtacaga atgcggcgag aagtcccttg atctgcaccc tcagactttc 840
catcacctga gccaccttga aggcctgggt ctgaaggaca gttctctcca ctgcgtgaac 900
tccaagtgtg tccagggtct ggcgaacctc tcggtgtctg acctaaagca gaactttctc 960
tacgagagca tcaacaaaaa cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

```

```

ctgtccttca attactgcaa gaaggtatcg ttgcgccgce tccacctggc aagttccttc 1080
aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttcog ctactcaac 1140
aagaacacgc tcaggtgggt ggtcgtctcg cccaagctcc acacgctgca cttcacaatg 1200
aatttcacga accaggcgca gctcagcgtc tttagtaoct tccgagccct togtttgtg 1260
gacctgtcca ataactcgat cagcgggcct ccaacgctgt ccagagtcgc cccgaaaaag 1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccgagc 1380
actccogtct caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccactctccg 1500
tgtctgagcc tgagccacaa ctgcctcgcg caggctgtca atggctctca gttcctgccc 1560
ctgaccaacc tgaagggtct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agctccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatcgagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcacc tggacctgtc tcagaataag 1920
ctgcacatcc tcgcgcccca gaacctcaac taacctccca agagcctgac gaagctgagt 1980
ttcctgacac atcacctctc tttctttaac tggagcagtc tggccttctc gcccaatctg 2040
cgagacotgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaata 2100
ggcagcctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgtct tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccatttgtg atgaacctga cggttctaga cgtgagcagc 2280
aacctctctg attgtgcctg cgggtgcacc tttgtagact taactgtgga agtcagagcc 2340
aagtgccctg gcctgggctaa cgggtggaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct cggcgtgtgc ctggatgacg tcttcttcog ggaactgttt 2460
ggc

```

1

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa
<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro
 260 265 270
 Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285
 Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg
 290 295 300
 Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320
 Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg
 325 330 335
 Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350
 Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu
 355 360 365
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln
 370 375 380
 Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn
 385 390 395 400
 Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu
 405 410 415
 Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430
 Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro
 435 440 445
 Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp
 450 455 460
 Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys	Gln Leu Glu Glu Leu	Asn Leu Ser Ala	Asn Ala Leu
725		730	735
Lys Thr Val Glu	Pro Ser Trp Phe Gly	Ser Met Val Gly	Asn Leu Lys
740		745	750
Val Leu Asp Val	Ser Ala Asn Pro Leu His	Cys Ala Cys Gly	Ala Thr
755		760	765
Phe Val Gly Phe	Leu Leu Glu Val Gln	Ala Ala Val Pro	Gly Leu Pro
770		775	780
Ser Arg Val Lys	Cys Gly Ser Pro Gly	Gln Leu Gln Gly	His Ser Ile
785		790	795
Phe Ala Gln Asp	Leu Arg Leu Cys Leu	Asp Glu Thr Leu	Ser Trp Asn
805		810	815
Cys Phe Gly Ile	Ser Leu Leu Ala Met	Ala Leu Gly Leu	Val Val Pro
820		825	830
Met Leu His His	Leu Cys Gly Trp Asp	Leu Trp Tyr Cys	Phe His Leu
835		840	845
Cys Leu Ala Trp	Leu Pro His Arg Gly	Gln Arg Arg Gly	Ala Asp Ala
850		855	860
Leu Phe Tyr Asp	Ala Phe Val Val Phe	Asp Lys Ala Gln	Ser Ala Val
865		870	875
Ala Asp Trp Val	Tyr Asn Glu Leu Arg	Val Gln Leu Glu	Glu Arg Arg
885		890	895
Gly Arg Arg Ala	Leu Arg Leu Cys Leu	Glu Glu Arg Asp	Trp Leu Pro
900		905	910
Gly Lys Thr Leu	Phe Glu Asn Leu Trp	Ala Ser Val Tyr	Ser Ser Arg
915		920	925
Lys Thr Leu Phe	Val Leu Ala His Thr	Asp Arg Val Ser	Gly Leu Leu
930		935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys
945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg
965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp
980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr
995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys
1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu
1025 1030

<210> 6
<211> 819
<212> PRT
<213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn
 805 810 815

Cys Phe Gly

<210> 7
 <211> 3352
 <212> DNA
 <213> Sus scrofa

<400> 7
 gagcacgaac atccttcaact gtagctgctg ccggtgtgc cagccagacc ctttgagagaa 60
 gaccccaactc cctgtcatgg gcccccgtg caccctgcac cccctttctc tectgggtgca 120
 ggtgacagcg ctggctcgcg ctctggccca gggcaggctg cctgccttcc tgcctgtgta 180
 gctccagccc caggcctgg tgaactgcaa ctggctcttc ctgaagtcgg tgcctcactt 240
 ctccggggca gcgccccgg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300
 ccactgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360
 gaactgccg ccggtgtgcc tcagcccat gcaattcccc tgccacatga ccacgagcc 420
 caacaccttc ctggccgtgc caacctgga ggagctgaac ctgagctaca acagcatcac 480
 gaccgtgcct gccctgccc actccctctg tccctgtcg ctgagcgcga ccaacatcct 540
 ggtgctagac cccaccacc tcaactggcct acatgcctg cgctaactgt acatggatgg 600
 caactgctac tacaagaacc cctgccagg ggcgctggag gtggtgccg gtgcctcct 660
 cggcctgggc aacctcacac atctctcaact caagtacaac aatctcacgg aggtgcccg 720
 cagcctgcc cccagcctgg agaccctgct gttgtctac aaccacattg tcaacctgac 780
 gctgaggac ctggccaatc tgactgccct gcggtgctt gatgtggggg ggaactgccg 840
 ccgctgtgac catgcccga acccctgcag ggagtgcaca aaggaccacc ccaagctgca 900
 ctctgacacc ttacgccacc tgagccgct cgaaggcctg gtgttgaaag acagttctct 960
 ctacaacctg gacaccagg ggttcogagg cctggacagg ctccaagtgc tggacctgag 1020
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgcc acctgcacct 1140
 ggcaaccttc tttgggacc tccggtccct gaaggagctg gacatgatg gcatcttctt 1200
 ccgctcgctc agtgagacca cgtcccaacc tctgggtcaa ctgcctatgc tccagacct 1260
 gcgctgcag atgaacttca ttaaccagg ccagctcagc atctttgggg ccttccctgg 1320
 cctgctgtac gtggacctat cggacaacgg catcagcga gctgcaaggc cagtggccat 1380
 tactaggag gtggatggtg gggagagggt ctggctgct tccaggaacc tcgctccacg 1440
 tccactggac actctccgt cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500

ctgggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctcttc 1560
 acgcctcgag tgccctgcgc tgagccacaa cagcatctcc caggcggtca atggctctca 1620
 gtttgtgcgc ctgaccagcc tgccgggtgct ggacctgtcc cacaacaagc tggacctgta 1680
 tcacggggcg tctgtcaagg agctgccgcg cctggaagca ctggacctca gctacaatag 1740
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgccgcg 1800
 cctgcgctac ctacgcctcg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860
 tagcgctcta ctgtgcgccc tggactttag cggcaacgat ctgagccgga tgtgggctga 1920
 gggagacctc tatctccgtt tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980
 ccagaaccac ctgcacaccc tcttgcacg tgccctggac aacctccca aaagcctgaa 2040
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctctct 2100
 gcccaagctg gaaacctcg acttggtcgg aaaccagctg aaggccctaa gcaatggcag 2160
 cctgccatct ggcaaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220
 gaacctctgc tcttttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280
 cctcaagaca gtggagccct cctggtttgg ctcatgtgtg ggcaacctga aagtctaga 2340
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggtt tctctctgga 2400
 ggtacaggct gccgtgcctg ggctgccag ccgcgtcaag tgtggcagtc cggggcagct 2460
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga cctctctgtg 2520
 gaactgtttt ggcactctgc tgcggccat ggccctgggc ctggtgtgtc ccatctgca 2580
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggct ggctgccca 2640
 ccgagggcag cggcgggggc cagacgccct gttctatgat cccttcgtgg tctttgacaa 2700
 agctcagagt gctgtggcgc actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760
 ccgtgggcgc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820
 gctcttcag agactgtggg cctcagctca cagcagcgc aagacctgt ttgtgctggc 2880
 ccacacggac cgtgtcagcg gctcttgcg tgccagtctc ctgctggccc agcagcgcc 2940
 gctggaggac cgcaaggagc ttgtagtgtc ggtgatcctg cgccccgatg cctaccgctc 3000
 ccgctacgtg cggctgcgc agcgccctcg ccgcagagct gtctctctct ggcgccacca 3060
 gccccgtggg cagggcagct tctgggcccc gctgggcaca gccctgacca gggacaacca 3120
 ccactcttat aaccggaact tctgccgggg cccacgaca gcccaatagc actgagtgc 3180
 agcccagttg cccagcccc cctggatttg cctctctgcc tgggggtgcc caacctgctt 3240
 tgctcagcca caccactgct ctgctccctg ttcccccccc caccgccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaa aaaaaaaaa aa 3352

<210> 8
 <211> 2457
 <212> DNA
 <213> Sus scrofa

<400> 8
 atgggcccc gctgcaccct gcacccctt tctctctgg tgcagggtgac agcgctggct 60
 gcggctctgg cccaggggac gctgcctgcc ttcctgccct gtgagctcca gccccacggc 120
 ctgggtgaact gcaactggct cttcctgaag tccgtgcccc acttctctggc ggccagcgccc 180
 cgggccaacg tcaccagcct ctccttactc tccaaccgca tccaccacct gcaogactcc 240
 gactctgtcc acctgtccac cctacgaact ctcaacctca agtggaaactg cccgcgggct 300
 ggccctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac cttcctggcc 360
 gtgccccccc tggaggagct gaacctgagc tacaacagca tcacgacctg gcctgccttg 420
 cccgactccc tctgttccct gtctgtgagc cgcaccaaca tcttgggtgt agacccccacc 480
 cactcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540
 aacccctgcc agggggcgct ggagggtgtg cggggtgcc tctcggcct gggaacctc 600
 acacatctct cactcaagta caacaatctc acggagggtgc cccgcagcct gccccccagc 660
 ctggagaccc tgctgtgttc ctacaaccac attgtcacc tgcgcctga ggacctggcc 720
 aatctgactg ccctgcgctg gcttgatgtg ggggggaact gccgccgctg tgacctgccc 780
 cgcaaacctc gcaggggagt cccaaaggac caccaccaagc tgcactctga cactctcagc 840
 cactcgagcc gcctcgaagg cctgggtgtg aaagacagtt ctctctacaa cctggacacc 900
 aggtgtgtcc gaggcctgga caggctccaa gtgctggacc tgagtggaaa ctctctctac 960
 gactgcata ccaagaccac ggccttccag ggctggccc gactgcgcag cctcaacctg 1020
 tcttcaatt accacaagaa ggtgtcctt gccacactgc acctggcacc ctcctttggg 1080
 cactccggt ccctgaagga gctggacatg catggcatct tcttccgctc gtcactgtgag 1140
 accacgctcc aacctctggt ccaactgcct atgtccaga cctcgcgct cgagatgaac 1200
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgt gtacgtggac 1260
 ctatcggaca accgcacag cggagctgca aggccagtg ccatctag ggagggtgat 1320
 ggtagggaga ggtctgtgct gccttccagg aacctcgtc cagctccact ggacactctc 1380
 cgctcagagg acttcatgcc aaactgcaag gcctcagct tcaccttga cctgtctcgg 1440
 aacaacctgg tgacaatcca gtccgagatg ttgtctcgcc tctcacgct cgagtgcctg 1500

cgccctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccctgagcc 1560
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620
 acggagctgc cgcgcctgga agcaactggac ctcagctaca atagccagcc ctttaccatg 1680
 cagggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctggg ctacctcagc 1740
 ctggcgccaca atgacatcca tagccgagtg tcccagcagc tctgtiagcg ctcactgtgc 1800
 gccctggact ttaggcgcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860
 cgcttcttc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920
 accctctgc cactgcccct ggacaacctc cccaaaagcc tgaagcatct gcactccgt 1980
 gacaataacc tggccttctt caactggagc agcctgaccc tccctgccaa gctggaaacc 2040
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100
 cagctcgga ggctggacct cagtggcaac agcatcggct ttgtgaaccc tggtctcttt 2160
 gccctggcca agcagtaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220
 cctccttggt ttggctcgat ggtgggcaac ctgaaagtcc tagactgtag cgccaacct 2280
 ctgcaactgt cctgtggggc gaccttcgtg ggcttctgc tggaggtaca ggctgcctg 2340
 cctgggtgc ccagccgggt caagtgtggc agtcgggggc agctccaggg ccatagcatc 2400
 ttgcgcaag acctgcgct ctgcctggat gagacctct cgtggaactg ttttggc 2457

<210> 9

<211> 1029

<212> PRT

<213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305	310	315	320
Asp Tyr Ile Thr	Lys Thr Thr Ile Phe Asn Asp	Leu Thr Gln Leu Arg	
	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His			
	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu			
	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln			
	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn			
	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu			
	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro			
	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu			
	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp			
	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn			
	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu			
	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly			
	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His			
	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln			
	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800
 Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815
 Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
 820 825 830
 Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
 835 840 845
 Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
 850 855 860
 Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala
 865 870 875 880
 Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
 885 890 895
 Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
 900 905 910
 Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
 915 920 925
 Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg
 930 935 940
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
 945 950 955 960
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
 965 970 975
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
 980 985 990
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala
 995 1000 1005
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
 1010 1015 1020

Gly Pro Thr Thr Ala Glu
1025

<210> 10
<211> 818
<212> PRT
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu 435 440 445		
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp 450 455 460		
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn 465 470 475 480		
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu 485 490 495		
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly 500 505 510		
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His 515 520 525		
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln 530 535 540		
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln 545 550 555 560		
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg 565 570 575		
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys 580 585 590		
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu 595 600 605		
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly 610 615 620		
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr 625 630 635 640		
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu 645 650 655		

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgctcc caacctgcc gccagacct 60

ctggagaagc cgcattcctc gtcattgggc cctactgtgc ccgcacccc ctttctctcc 120

tgggtcagcg ggcggcactg gcagcgccc tggccgaggg cacctgctcc gccttctctg 180

cctgtgagct ccagccccc ggtaggtgg actgcaactg gctgttctg aagtctgtgc 240

cgcacttttc ggtggagacc cccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttgc tccacctgtc caacctgcgg gtcctcaacc 360
 tcaagtggaa ctgcccgcgc gccggcctca gcccctatgca cttccctctc cgtatgacca 420
 tccagcccaa caccttctctg gctgtgccca cctggagga gctgaacctg agctacaacg 480
 gcatcacgac cgtgcctgcc ctgccagtt cctctgtgtc cctgtcgtg agccacacca 540
 gcatcctggt gctaggcccc acccaactta ccggcctgca cgcctgcgc tttctgtaca 600
 tggacggcaa ctgtacttac atgaacctct gccgcgggc cctggaggtg gccccaggcg 660
 cctcctctcg cctgggcaac ctacgcacc tgtcgtcaa gtacaacaac ctacaggagg 720
 tgccccgcgc cctgcccccc agcctggaca ccttctgtct gtctacaac cacattgtca 780
 ccttgccacc cgaggacctg gccaacctga ctgcctcgc cgtgcttgac gtgggtggga 840
 actgccgcgc ctgcgacctg gccgcgaacc cctgcaggga gtgcccgaag aacttcccc 900
 agctgcaccc tgacaccttc agtcacctga gccgcctga aggcctgggt ttgaaggaca 960
 gttctctcta caaactagag aaagattggt tcgcggcct gggcaggctc caagtgtctg 1020
 acctgagtga gaactctctc tatgactaca tcaccaagac caccatcttc aaagacctga 1080
 ccagctgcgc cagactcaac ctgtccttca attaccacaa gaaggtgtcc ttgcccacc 1140
 tgcacctagc gtctctcttt gggagttctg tgtcctgga gaagctggac atgcacggca 1200
 tcttctctgc ctctctacc aacatcacgc tccagtctgt gaccggctg cccaagctcc 1260
 agagtctgca tctgcagctg aacttcatca accaggccca gctcagctc tttggggcct 1320
 tcccgagcct gctcttctgt gacctgtcgc acaaccgcct cagcggagcc gcgacgcag 1380
 cggccgcctt gggggagggt gacagcagg tggaagtctg gcgattgcc aggggcctcg 1440
 ctccaggccc gctggagccc gtcagctcaa aggaattcat gccaaagtgc aacctcaact 1500
 tcaccttgga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg ttatccgcgc 1560
 tctccgcct ccagtgcctg cgcctgagcc acaacagcat ctgcaggcg gtaaatggct 1620
 ccagttctgt gccgtgacc agcctgcgag tgcctgacct gtcccacaac aagctggacc 1680
 tgtaccatgg gcgtctatc acggagctgc cgcagctgga ggcactggac ctacgtatca 1740
 acagccagcc cttcagcatg cagggcgttg gccacaacct cagcttctgt gccagctgc 1800
 cctcctgcgc ctacctcagc cttgcgcaca atggcatcca cagcccgctg tcacagaagc 1860
 tcagcagcgc ctctgtgcgc gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920
 ccgagggaga cctctatctc tgctttttca aaggtctgag gaacctggtc cagctggacc 1980
 tgtccagaaa ccatctgcac accctctctc ctgtcacct ggacaacctg cccaagagcc 2040

tggggcagct ggcgtctcgg gacaataacc tggccttctt caactggagc agcctgaccg	2100
tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg	2160
gcagcctgcc gcctggcacc cggtccaga agctggacgt gacgagcaac agcctcggct	2220
tcgtgatccc cggtctcttc gtccggcgca ctggctgat agagcttaac ctgagcgcca	2280
atgcctgaa gacagtgat cctcctggt tcggttcctt agcaggggacc ctgaaaaacc	2340
tagacgtgag cgcaaccgg ctccactgag cctgcggggc ggcctttgtg gactctctgc	2400
tggagagaca ggaggccgtg cccgggctgt ccaggcgctg cacatgtggc agtcggggcc	2460
agctccaggg ccgcagcacc ttacacagg acctgcgctt ctgctggat gagacctctt	2520
ccttggaact ctttggcctc tcaactgtaa tgggtggcgt gggcctggca gtgcccatgc	2580
tgcaccacct ctgtggctgg gacctctggt actgcttcca cctgtgtctg gcccatctgc	2640
ccgagcgagg gcggcagcgg ggcgaggaca cctgctcta tgatgcgctg gtggtcttcg	2700
acaagggtga gactgcagt gctgattggg tgtacaacga gctccgctg cagctggagg	2760
agcgccgggg gcgcccggcg ctccgcctct gcctggagga gcgagactgg ctccctggta	2820
agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgtctgtgc	2880
tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctctctgtct gccacgagc	2940
gcctgttgga ggaccgcaag gacgtcgtag tgctgggtgat cctgcgcccc gcgcctatc	3000
ggtcccgcta cgtgcggctg cgccagcgcc tctgcgcgca gagcgtcctc ctctggcccc	3060
accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca	3120
accgtcactt ctataaccgg aacttctgcc gggggccccc gacagcgcaa tagcacagag	3180
tgactgcccc g	3191

<210> 12

<211> 2454

<212> DNA

<213> Bos taurus

<400> 12

atggggccctt actgtgcccc gcaacccctt tctctcctgg tgcaggcggc ggcactggca	60
gcggccctgg ccgagggaac cctgcctgcc ttctgcctgt gtgagctcca gcccatgggt	120
cagggtgact gcaactggct gttcctgaag tctgtgcgcg acttttcggc tggagcccc	180
cgggccaatg tcaccagcct ctccctaato tccaaccgca tccaccactt gcatgactct	240
gactctgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg ccgcgcggcc	300
ggcctcagcc ccatgcactt cccctgcctg atgaccatcg agcccaacac ctctctggct	360

gtgccaccce tggaggagct gaacctgagc tacacggcca tcacgaccgt gcttgccctg 420
 cccagttccc tegtgtccct gtgctgagc cacaccagca tcttggtgct aggccccacc 480
 cacttcaccg gcttgcaagc cctgogcttt ctgtacatgg acggcaactg ctactacatg 540
 aacctctgcc cggggggcct ggaggtggcc ccaggcgccc tcttcggcct gggcaacctc 600
 acgcacctgt cgctcaagta caacaacctc acggagggtgc cccgcgcctt gccccccagc 660
 ctggacaccc tgctgctgtc ctacaaccac attgtcacc cggcaccgga ggacctggcc 720
 aacctgactg ccttcgcgct gcttgacgtg ggtgggaact gccgcgcctg cgacctggcc 780
 cgcaacctct gcagggagtg cccaaagaac ttcccgaagc tgcacctga caccttcagt 840
 cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa 900
 gattggttcc cgggcctggg caggctccaa gtgctcgacc tgagtggaaa ctctctctat 960
 gactacatca ccaagcaccc catcttcaac gacctgaccc agctgcgcag actcaacctg 1020
 tcttcaatt accacaagaa ggtgtccttc gccacctgc acctagcgtc ctctttggg 1080
 agtctggtgt ccctggagaa gctggacatg caoggcctct tcttcogctc cctcaccac 1140
 atcacgctcc agtgcctgac ccggtgccc aagctccaga gtctgcctct gcagctgaac 1200
 ttcatcaacc aggccacgtc cagcatcttt ggggccttcc cgagcctgct ctctgtggac 1260
 ctgtcggaca accgcctcag cggagccgcy acgccagcgg ccgcccctgg ggaggtggac 1320
 agcagggtgg aagtctggcy attgccagcy ggcctcgtc caggcccgtt ggacgcgtc 1380
 agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttgacctt gtcacggaac 1440
 aacctggtga caatccagca agagatgttt accgcctct cccgcctcca gtgcctgcgc 1500
 ctgagccaca acagcatctc gcaggcggtt aatggctccc agttcgtgcc gctgaccagc 1560
 ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt acctggggcg ctcatctacg 1620
 gagctccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
 ggcggtggcc acaacctcag ctctgtggcc cagctgccct cctgcgccta cctcagcctt 1740
 gcgcacaatg gcatccacag ccgctgttca cagaagctca gcagcgctc gttgcgcgc 1800
 ctggaattca cgggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860
 tttttcaaag gcttgaggaa cctggtccag ctggacctgt ccgagaacca tctgcacacc 1920
 ctctgcctc gtcacctgga caacctgcc aagagcctgc ggcagctgcy tctccgggac 1980
 aataacctg ccttcttcaa ctggagcagc ctgacctgct tgccccggct ggaagccctg 2040
 gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgcgcgc tggcatccgg 2100
 ctccagaagc tggacgtgag cagcaacagc atcggtctcy tgatccccgg ctctctctgc 2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg cctgaagac agtggatccc 2220
 tccctggttcg gtctccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcctc 2280
 cactgcgcct gcggggcggc ctttgtggac ttctgtctgg agagacagga ggcctgcccc 2340
 gggctgtcca ggcgcgctcac atgtggcagt cggggccagc tccagggcgc cagcatcttc 2400
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13
 <211> 1031
 <212> PRT
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655
 Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670
 Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685
 Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700
 Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720
 Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735
 Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750
 Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765
 Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
 770 775 780
 Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800
 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
 805 810 815
 Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met
 820 825 830
 Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845
 Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp
 850 855 860
 Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg
945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly
 995 1000 1005

Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe
1010 1015 1020

Cys Arg Gly Pro Thr Met Ala Glu
1025 1030

<210> 14
<211> 820
<212> FRT
<213> Equus caballus

<400> 14

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75 80
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
85	90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
100	105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
115	120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
130	135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150	155 160
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
165	170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
180	185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
195	200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
210	215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230	235 240
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
245	250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
260	265	270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300
 Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350
 His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380
 Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
805 810 815

Asp Cys Phe Gly
820

<210> 15
<211> 3391
<212> DNA
<213> Equus caballus

<400> 15
ctctgttcctc tgagctgttg ccgctgaag ggactgagag cacaaagcat cctcctctgc 60
agctgctgcc cagtgtgcc gctggaccct ctggatcatc tccactccc tgtcatgggc 120
ccttgccatg gtgccttga gccctgtct ctctgtgtgc aggcggccat gctggcctg 180
gctctggccc aaggcacct gcctcccttc ctgcctgtg agctccagcc ccaaggcctg 240
gtgaactgca actggctgtt cctgaagtc gtgcccact tctcagcagc agcaccocgg 300
gacaatgtca ccagccttc cttgtcttc aaccgcaccc accacctcca cgactccgac 360
tttgcccaac tgtccacct gcagaaactc aacctcaaat ggaactgccc gccagcgggc 420
ctcagcccca tgcacttccc ctgccatg accatcgagc ccaacacttt cctggctgta 480
cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540
agctccctcg tgtccctgat cctgagccgc accaactccc tgcagctaga cccaccagc 600
ctcaggggcc tgcctgcctt gcgcttccta tacatggatg gcaactgcta ctacaagaac 660
ccctgcgggc gggccctgga ggtggcccca ggcgcctccc ttggcctggg caacctcacc 720
caactgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc cctagcctg 780
gagtacctgc tgttgcctca caaccacatt gtcacctgg cacctgagga cctggccaat 840
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgtgtga ccatgcacgc 900
aaccctgcgc tggagtgcgc acataaatc ccacagctgc actccgacac ctteagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga	1020
tggttccgtg gcctgggcaa cctcacagtg ctgcacctga gtgagaactt cctctacgac	1080
tgcataccca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc	1140
ttcaattacc ataagaaggt gtccttcgcc cacctgaagc tggcaccctc cttcgggagc	1200
ctgctctccc tgcaggaaact ggacatgcat ggcatcttct tccgtccact cagccagaag	1260
acgtccagc cactggcccg cctgcccatg ctccagcgtc tgtatctgca gatgaacttc	1320
atcaaccagg cccagctcgg catottcaag gacttcctg gtctgcgcta catagacctg	1380
tcagacaacc gcactcagtg agctgtggag cgggtggcca ccacagggga ggtggatggt	1440
gggaagaagg tctggtgac atccagggac ctcaactccag gcccaactgga cccccccagc	1500
tctgaggact tcattccaag ctgcaagaac ctcaagcttca ccttggacct gtccaggaa	1560
aacctggtaa cagtcacgac agagatgttt gccagctct cgcgcctcca gtgcctcgcc	1620
ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc	1680
ctgcagggtg tggacctgtc ccataacaaa ctggacctgt accatggggc ctogttaa	1740
gagctgcgcg gactggaggc cctggacctc agctacaaca gccagccctt cagcatcgcc	1800
gggtggggcc acaacctcag ctttgtggcc cagctgcaca cctgcgcta cctcagcctg	1860
gcacacaatg gcattccagc cgtgtgtgcc cagcagctct gcagcaccct gctgtggggc	1920
ctggacttca gcggcaattc cctgagccag atgtggggtg agggagacct ctatctcgc	1980
ttcttccaag gcctgagaag cctaaccggc ctgacctgt cccagaatcg tctgcatacc	2040
ctcctgccat gcacctggg caacctcccc aagagcttgc agctgctgag tctccgtaac	2100
aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcaccaact ggaaccctg	2160
gacctgggtg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag	2220
ctccagaggc tggacgtcag caggaaacag atcatcttct tggtcctcgg cttctttgct	2280
ctggccacga ggctgcgaga gctcaacctc agtgcacaac cctcaggac agaggagccc	2340
tctgtgtttg gtttctcagc aggtcccttc gaagtcttag atgtgagcgc caacctctg	2400
caactgcgct gtggggcagc ctttgtggac ttctgtgtgc aggttcaggc tgcgtgcct	2460
ggtctgccca gcgcgtcaa gtgtggcagt cggggccagc tccagggccg cagcatcttc	2520
gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctcttca	2580
ttgtgtgttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac	2640
ctctgttact gcttccacct gggcctggcc tggctgccc ggccgggggt gcagcggggc	2700

gcggatgccc tgagetatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760
 gactgggtgt acaatgaact gcgggtgcgg ctagaggagc gccgtgggag ccggggcgtc 2820
 cgcctgtgtc tggaggagcg tgaactggcta cctggcaaga cgtctgttoga aaacctgtgg 2880
 gcctcagtct acagcagccg caagatgctg ttgtgtctgg ccacacagga ccaggctcagt 2940
 ggctcttgc gtgcagcctt cctgtctggc cagcagcgtc tgctggagga ccgcaaggac 3000
 gttgtgggtc tggtaatcct gagccctgac gcccgccgtt ccggttacgt gcggctgcgc 3060
 cagcgctctc gccgccagag tgtcctcttc tggccccacc agcctagtgg ccagcgcagc 3120
 ttctggggcc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaa 3180
 ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaacc 3240
 ccagccctga ccttgctctc ctgcctatga tgcctcgtct gcctcactct gtgacgcccc 3300
 tgctctgcct ccgccacctt caccctgggc atacagcagg cactcaataa atgccactgg 3360
 caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16
 <211> 2460
 <212> DNA
 <213> Equus caballus

<400> 16
 atgggccctt gccatgtgct cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60
 gccgtggctc tggcccaagg caccctgcct cccttctgc cctgtgagct ccagccccac 120
 ggctcgtgta actgcaactg gctgttctct aagtcctgtc cccacttctc agcagcagca 180
 ccccgggaca atgtcaccag cctttccttg ctctccaacc gcattccacca cctccacgac 240
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaatggaa ctgcccgcca 300
 gccggctcca gccccatgca cttccctgc cacatgacca tcgagcccaa cactttctgt 360
 gctgtacca cctcggagga gctgaacctg agctacaacg gcattcagac tgtgcctgcc 420
 ctgccagct ccctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480
 accagcctca cgggcctgca tgcctcgcgc ttctataca tggatggcaa ctgtactac 540
 aagaacctct cggggcgggc cctggagggt gccccaggcg cctccttgg cctgggcaac 600
 ctcaccaccc tgtcactcaa gtacaacaac ctcaaacgg tgcoccgag cctgccccct 660
 agcctggagt acctcgtgtt gtctacaac cacattgtca cctggcacc tgggacctg 720
 gccaatctga ctgcctcgc tgtgtctgat gtgggtggaa actgcgcgc cgttgaccat 780
 gcacgaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gcgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900
 cccagatggt tcogtggcct gggcaacctc acagtgcctg acctgagtga gaacttcttc 960
 tacgaactgca tcacaaaaac caaggcatcc cagggcctgg cccagctgctg aagactcaac 1020
 ttgtctctca attaccataa gaaggtgtcc ttgcccacc tgacgctggc accctctctc 1080
 gggagctctg tctccttgca ggaactggac atgcattggc tcttctctcg ctcaactcagc 1140
 cagaagacgc tcacgccact ggcccgctg cccatgctcc agcgtctgta tctgcagatg 1200
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctgggtc ggcgtacata 1260
 gacctgtcag acaaccgcac cagtggagct gtggagccgg tggccaccac agggggaggtg 1320
 gatggtggga agaaggctctg gctgacatcc agggacctca ctccaggccc actggacacc 1380
 cccagctctg aggaactcat gccaaactgc aagaacctca gcttcacctt ggacctgtca 1440
 cggaacaacc tggtaacagt ccagccagag atgtttgcc agctctcgcg cctccagctg 1500
 ctgcgcctga gccacaacag catctgcgag gcggtcaatg gctcacagt ctgccactg 1560
 accagctctg aggtgctgga cctgtcccat acaaaactgg acctgtacca tggcgctctg 1620
 ttacgggagc tgcccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
 atgctggggtg tggggccaca cctcagcttt gtggcccagc tgcccacct gcgtacacct 1740
 agcctggcac acaatggcat ccacagcctg gtgtccagc agctctgcag cacctcgctg 1800
 tgggcctctg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860
 ctccgctctt tccaaggcct gagaagccta atccggctag acctgtccca gaatcgtctg 1920
 cataccctcc tgccatgcac cctgggcaac ctccccaaga gcttgagct gctgcgtctc 1980
 cgtacaact acctggcctt ctcaattgg agcagcctga cctcctgcc caacctggaa 2040
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gcctcttggc 2100
 acccagctcc agaggctgga cgtcagcagg aacagcatca tctctgtggt cctggcttc 2160
 tttgctctg ccacaggctg gcgagagctc aaactcagtg ccaacgccct caggacagag 2220
 gagccctcct ggtttggttt cctagcaggc tccctgaag tctatgatgt gagcccaac 2280
 cctctgcact ggcctctggg ggcagccttt gtggaactcc tgctgcaggt tcaggctgcc 2340
 gtgcctggct tgcccagccg cgtcaagtgt ggcagtcctg gccagctcca gggccgcagc 2400
 atctctgcac aagacctgct cctctgctg gacaagtccc tctctgtgga ctgttttgg 2460

<210> 17
 <211> 1029
 <212> PRT
 <213> Ovis aries

<400> 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 470 475 480
 Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495
 Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510
 Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
 515 520 525
 Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540
 Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560
 Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575
 Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590
 Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605
 Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620
 Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
 625 630 635 640
 Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655
 Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670
 Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685
 Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930 935 940
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
 945 950 955 960
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
 965 970 975
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
 980 985 990
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala
 995 1000 1005
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
 1010 1015 1020
 Gly Pro Thr Thr Ala Glu
 1025
 <210> 18
 <211> 818
 <212> PRT
 <213> Cvis aries
 <400> 18
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn 115 120 125		
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu 130 135 140		
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr 145 150 155 160		
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn 165 170 175		
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly 180 185 190		
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn 195 200 205		
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu 210 215 220		
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala 225 230 235 240		
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg 245 250 255		
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro 260 265 270		
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu 275 280 285		
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg 290 295 300		
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr 305 310 315 320		
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg 325 330 335		

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly

<210> 19
 <211> 3199

<212> DNA

<213> *Ovis aries*

<400> 19
 gtcggcacgg gaagtgagcg coaagcatcc ttccctgcag ctgcgcgccca acttgcccgc 60
 cagaccctct ggagaagcgg cattccctgc catggggccc tactgtgccc cgcacccct 120
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gcccagggca ccttgcctgc 180
 ctctctgccc tgtgagctcc agccccgggg taaggtgaac tgcgaactggc tgttctgaa 240
 gtctgtgccc cgttttctgg ccggagcccc ccgggccaat gtcaccagcc tctcttaat 300
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360
 cctcaacctc aagtggaaact gccgcgcggc cggcctcagc cccatgcaact tcccttgccg 420
 catgaccatc gagcccaaca ccttctggc tgtgcccacc ctggaggagc tgaacctgag 480
 ctacaatggc atcacgacgg tgcctgccct gccaggttct ctcgatccct tgtcgtgag 540
 ccgcaccagc atcctgtgtc tagggccccc ccacttcacc gccctgcacg ccttgcgctt 600
 totgtacatg gacggcaact gctactataa gaacccctgc cagcaggccg tggagggtggc 660
 cccaggcgcc ctcttggcc tgggcaacct cagcacctg tgcctcaagt acaacaacct 720
 cagcggaggtg ccccgccgcg tgcccccag cctggacacc ctgtctgtgt cctacaacca 780
 catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcctgatgt 840
 gggcgggaa tgcgcgcgct gcgaccacgc ccgcaacccc tgcaggggagt gcccaagaa 900
 cttccccaa gtgcacctg acaccttcag ccacctgagc cgcctcgaag gccctggtgt 960
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020
 agtgctcgac ctgagtgaga acttctctta tgactacatc accaagacca ccatcttcag 1080
 gaacctgacc cagctgcgca gactcaacct gtcttcaat taccacaaga aggtgtcctt 1140
 cgcccaacct caactggcac cctccttggg gggcctgggt tccctggaga agctggacat 1200
 gcacggcata ttcttcgcct cctcaccaca caccacgctc cgcgcgctga cccagctgcc 1260
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320
 tggggccttc ccgagcctgc tcttctgga cctgtoggac aacgcacatc cgggagctgc 1380
 gaggccgggt gccgcctcg gggagggtga cagcgggggt gaagtctggc ggtggcccag 1440

gggcctcgct ccaggccgcg tggccgccgt cagcgcaaa gacttcacgc caagctgcaa 1500
 cctcaacttc acccttgacc tgtcacggaa caacctgggt acgatccagc aggagatggt 1560
 taccgccttc tccgcctcc agtgccctgc cctgagccac aacagcatct cgcaggcggt 1620
 taatggctcg cagttcgctg cgtgaccgc cctggcgagt ctogacctgt cctacaacaa 1680
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740
 cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800
 ccagctgcgc tcctcgcgct acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860
 acagaagctc agcagcgccct cgtgcgcgc cctggacttc agcgcaact ccctgagcca 1920
 gatgtgggcc gaggagagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980
 gctggacctg tccaagaacc acctgcacac cctcctgctt cgtcacctgg ataacctgcc 2040
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100
 cctgactggt ctgccccagc tggaaaccct ggatctggcg ggaaccagc tgaaggccct 2160
 gagcaacgcg agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220
 catcggtctt gtgaccctgt gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280
 cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggtcgcttaa cagagacct 2340
 gaatatccta gacgtgagcg ccaaccgct ccactgtgcc tgcggggcgg cctttgtgga 2400
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460
 tccgggccaag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520
 gaccctctcc ttggaactgt ttggctctc gctgctaag gtggcgctgg gccctggcgt 2580
 gccatgctg caccactctt gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640
 ccatttgccc cgcagcgccc ggcagcgggg cgaggacacc ctgctctacg atgcctctgt 2700
 ggtcttcgac aaggcgca ga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760
 gctggaggag cgcgcggggc gccggcgctt ccgcctctgc ctggaggagc gagactggct 2820
 ccctggcaag acgctcttgc agaacctgtg ggctctcggt tacagcagcc gtaagacat 2880
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tctgtgtggc 2940
 ccagcagcgc ctgttgagg accgcaagga tgtcgtgggt ctgggtatcc tgcgccccgc 3000
 cgcctaccgc tcccgctacg tgcggctgcg ccagcgctc tgcgcgcaga gcgtctctct 3060
 ctggccccac cagcccgagt gccagggtag cttctgggcc aacctgggca tggccctgac 3120
 cagggacaac cgcactctct ataaccgaa cttctgcccg gccccacga cagccgaata 3180

gcacagagtg actgccag

3199

<210> 20

<211> 2454

<212> DNA

<213> Ovis aries

<400> 20

atggggccct actgtgcccc gcaccccccct tctctcctgg tgcaggcgcc ggcgctggca 60

gcagccctgg ccaggggcac cctgcctgcc ttcttgccct gtgagctcca gccccggggt 120

aaggtgaact gcaactggct gttcctgaag tctgtgcgcg gcttttcggc cggagccccc 180

cgggccaatg tcaccagcct ctcccttaate tccaaccgca tccaccactt gcaagactct 240

gacttcgtcc aactgtccaa cctgcgggtc ctcaacctca agtggaactg ccgcgcggcc 300

ggcctcagcc ccactgcact cccctgcgcg atgaccatcg agcccaacac ctctctggct 360

gtgcccaccc tggaggagct gaacctggag tacaatggca tcacgaccgt gccctgccctg 420

ccagttcttc tcgtatccct gtcgctgagc cgcaccagca tctctggtct aggccccacc 480

cacttcacgg gccctgcacg cctgcgcttt ctgtacatgg acggcaactg ctactataag 540

aacccctgcc agcaggcgct ggagggtggc ccaggcgccc tctctggcct gggcaacctc 600

acgcacctgt cgtcaagta caacaacctc acggaggtgc ccgcgcgcct gcccccagc 660

ctggacaccc tgcgtctgtc ctacaaccac atcatcacc tggcacccga ggacctggcc 720

aactgactg cctgcgctgt gcttgatgtg ggcggggaact gccgcgcgtg cgcaccgcc 780

cgcacccct gcaggggagt cccaaagaac ttccccaagc tgcaccctga cacttcagc 840

cacctgagcc gccctgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa 900

gactggttcc gcggcctggg caggctccaa gtgctcgacc tgagttagaa ctctctctat 960

gactacatca ccaagaccac catcttcagg aacctgaccc agctgcgcag actcaacctg 1020

tccttcaatt accacaagaa ggtgtccttc gcccacctgc aactggcacc ctctcttggg 1080

ggcctgggtg ccttgagaa gctggacatg caggcatct tcttcgcgtc cctcaccac 1140

accacgtccc ggccgctgac ccagctgcc aagctccaga gtctgagtct gcagctgaac 1200

ttcatcaacc aggcggagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac 1260

ctgtcggaca accgcacatg cggagctcgg aggcgggtgg ccgcctcgg ggaggtggac 1320

agcgggggtg aagtctggcg gtggcccgag gccctcgcct caggcccgct ggccgcgctc 1380

agcgcaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac 1440

aacctggtga cgatccagca ggagatgttt accgcctct ccgcctcca gtgcctgcgc 1500

ctgagccaca acagcatctc gcaggcggtt aatggctcgc agttcgtgcc gctgaccgcg 1560
 ctgcgagtg ctcgacctgc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
 ggcgggggcc acaacctcag ctctgtggcc cagctgccgt ccctgcgcta cctcagccct 1740
 gcgcacaacg gcattccacg ccgcgtgtca cagaagctca gcagcgccctc gctgcgcgcc 1800
 ctggacttca gcggcaactc cctgagccag atgtgggcgc agggagacct ctatctctgc 1860
 ttcttcaaag gcttgaggaa cctggctccg ctggacctgt ccaagaacca cctgcacacc 1920
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccogg 2100
 ctccagaagc tggagctgag cagcaacagc atcggtcttg tgacctctgg cttctttgtc 2160
 cttgccaacc ggctgaaaga gcttaacctc agcgccaacg cctgaagac agtggatccc 2220
 ttctgggttc gtcgcttaac agagaccctg aatatcctag acgtgagcgc caaccgcctc 2280
 cactgtgcct gcggggcggc ctttgtggac ttcctgctgg agatgcaggc ggcgctgcct 2340
 gggctgtcca ggcgcgtcac gtgtggcagt ccgggccagc tccagggcgc cagcatcttc 2400
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tgge 2454

<210> 21
 <211> 1032
 <212> PRT
 <213> *Canis familiaris*

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95
 Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110
 Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
 115 120 125
 Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140
 Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160
 Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
 260 265 270
 Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
 275 280 285
 Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
 290 295 300
 His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350
 His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365
 Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380
 Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400
 Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430
 Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445
 Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460
 Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480
 Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495
 Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510
 Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525
 Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540
 Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545	550	555	560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu	565	570	575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg	580	585	590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser	595	600	605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg	610	615	620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn	625	630	635
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser	645	650	655
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp	660	665	670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly	675	680	685
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln	690	695	700
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro	705	710	715
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala	725	730	735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly	740	745	750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys	755	760	765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro	770	775	780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala
1025 1030

<210> 22
<211> 822
<212> PRT
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445
 Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460
 Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480
 Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495
 Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510
 Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525
 Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540
 Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro
 545 550 555 560
 Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu
 565 570 575
 Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg
 580 585 590
 Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser
 595 600 605
 Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg
 610 615 620
 Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn
 625 630 635 640
 Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser
 645 650 655
 Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660	665	670	
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly			
675	680	685	
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln			
690	695	700	
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro			
705	710	715	720
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala			
725	730	735	
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly			
740	745	750	
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys			
755	760	765	
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro			
770	775	780	
Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly			
785	790	795	800
Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu			
805	810	815	
Ser Trp Val Cys Phe Ser			
820			
<210>	23		
<211>	3334		
<212>	DNA		
<213>	Canis familiaris		
<400>	23		
aggaaggggc	tgtgagctcc	aagcatcctt	tctgcagct
			gctgccacgc
			ctgccacca
			60
gacctcttgg	agaagcccc	gctccctgtc	atggggccct
			gccgtggcgc
			cctgcacccc
			120
ctgtctctcc	tggtgcaggc	tgccgcgcta	gccctggccc
			tggccagggg
			cacctgtcct
			180
gccttctctc	cctgtgagct	ccagcccat	ggcctgggtga
			actgcacctg
			gctgttcctc
			240
aagtccgtgc	cccgcttctc	ggcagctgca	ccccgcggta
			acgtcaccag
			cctttccttg
			300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtgga ctgcccgccc gccagcctca gccccatgca ctttccctgt	420
cacatgacca ttgagcccaa caccttctcg gctgtgccc cctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccgcc ctgccagtt cgcttgtgtc cctgtccctg	540
agccgcacca acatcctggt gctggacct gccaccctgg caggccttta tgccctgcgc	600
ttctctgtcc tggatggcaa ctgctactac aagaaccct gccagcaggc cctgcaggtg	660
gcccaggtg cctcctggg cctgggcaac ctccacacac tgtcactcaa gtacaacaac	720
ctcaccgtgg tgccgggggg cctgcccccc agcctggagt acctgctctt gtccataaac	780
cacatcatca cctggcacc tgaggacctg gccaatctga ctgccctgcg tgtcctcgat	840
gtgggtggga actgtgcgc ctgtgacct gcccgtaacc cctgcaggga gtgcccgaag	900
ggcttcccc agctgcaccc caacaccttc gccacctga gccacctga aggcctggtg	960
ttgagggaca gctctctcta cagcctggac ccagggtggt tccatggcct gggcaacctc	1020
atggtgctgg acctgagtga gaacttctcg tatgactgca tcacaaaac caaagccttc	1080
tacggctcgg ccggctgcgc cagactcaac ctgtccttca attatcataa gaaggtgtcc	1140
tttgcccaac tgcctctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggga tcttcttccg ctgcctcagc aagaccacgc tccagtcgt gccccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcggcgctc tccttggaact gcggtacgtg gacttgtcag acaaccgcac cagtggagct	1380
gcagagcccc cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtcocggg acctgtctct gggcccaactg ggcaccccc gctcagaggc ctctatgcgc	1500
agctgcagga cctcaactt caccttgga cgtctcggga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggct ggccgcgcctc cagtgcctgg ccctgagcca caacagcatc	1620
tgcaggcgg tcaattggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgtcgttca cggagctgcc gcggctggag	1740
gccttggaac tcagctacaa cagccagccc ttcagcatgc gggcgctggg ccacaatctc	1800
agctttgtgg cacagctgcc agccctgcgc tacctcagcc tggcgacaaa tggcatccac	1860
agccgcgtgt ccagcagct ccgcagcgcc tcgctccggg ccttggaact cagtggcaat	1920
acctgagcc agatgtgggc cgaggggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctggttc agctggacct gtcccagaat cgcctgcata cctcctgcgc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggctccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc cagctccagag gctggacctc 2220
agcggcaaca gcacggcctt cgtgggtccc agcttttttg ccttggecgt gaggettcga 2280
gagctcaacc tcagcgccaa cgcctccaag acggtggagc cctcctggtt tgggtccctg 2340
gcgggtgccc tgaagtcct agacgtgacc gccaacccct tgcattgcgc ttgcggcgca 2400
accttcgtgg actttctgct ggagggtgag gctgcggtgc ccggcctgcc tagcctgtc 2460
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520
tgctcggagc aagcgtcttc ctgggtctgt ttacgcctct cgtcgtggc tgtggccctg 2580
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctgcta ctgctccac 2640
ctgtgcctgg cctggctgcc ccggcggggg cggcgggggg gtgtggatgc cctggccctat 2700
gacgccttcg tggctctcga caaggcgag agctcggtag cggactgggt gtacaatgag 2760
ctgcgggtac agctagagga cgcctgtggg cgcggggcgc tacgctgtg tctgaggaa 2820
cgtgactggg taccgggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880
cgcaagaagc tgtttgtgct ggcgcgacg gacagagtc cgggcctcct cgtgtccagc 2940
ttctcgtcgg cccaacagc cctcgtggg gaccgcagg acgtcgtggt gctggtgatc 3000
ctgtgccccg accgccaccg ctcccgctat gtgcgggtgc gccagcgct ctgcgccag 3060
agtgctctcc tctggcccca ccagccagc ggccagcgca gcttctgggc ccagctgggc 3120
acggccctga ccagggacaa ccgcacctc tacaaccaga acttctgcg gggcccccag 3180
acagcctgat aggcagacag ccagcacct tcgcgccct acacctgcc tgtctgtctg 3240
ggatgccga cctcgtgct ctacacgccc gctctgtct cctacaccc agccctggca 3300
taaagcgacc gctcaataaa tgcgtcgtgt agac 3334

<210> 24
<211> 2456
<212> DNA
<213> *Canis familiaris*

<400> 24
atgggccctt gccgtggcgc cctgcacccc ctgtctctcc tgggtcaggc tgccgcgcta 60
gccctggccc tggcccaggg caccctgcct gccttctgc cctgtgagct ccagcccat 120
ggcctggtga actgcaactg gctgtctctc aagtcctgc ccgccttctc ggcagctgca 180
ccccgggta acgtcaccag ctttctcttg tactccaacc gaatccacca cctccatgac 240
tatgactttg tcaactctgt ccacctgcgg cgtctcaatc tcaagtggaa ctgcgccccc 300

```

gccagcctca gcccacatgca ctttcctgt caccatgacca ttgagcccaa caccttctgt 360
gctgtgcoca cctagagga cctgaatctg agctataaca gcatacagac tgtgcccggc 420
ctgcccaggt cgcttgtgtc cctgtccctg agccgcacca acatcctggg gctggaccct 480
gccaccctgg caggccttta tgccctgcgc ttctgttcc tggatggcaa ctgctactac 540
aagaacccct gccagcaggc cctgcagggt gcccagggt cctcctggg cctgggcaac 600
ctcacacacc tgtcactcaa gtacaacaac ctacccgtgg tgccgccccg cctgcccccc 660
agcctggagt acctgctctt gtccataaac cacatcatca cctggcacc tgaggacctg 720
gccaatctga ctgcccctgc tgctctgat gtgggtggga actgtgcgc ctgtgaccat 780
gccgtaaac cctgcaggga gtgcccaca ggcttcccc agctgcacc caacaccttc 840
ggccacctga gccacctga aggcctgggt ttgagggaca gctctctcta cagcctggac 900
cccagggtgt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttctctg 960
tatgactgca tcacaaaaa caaagccttc tacggcctgg ccggctgcgc cagactcaac 1020
ctgtccttca attatcataa gaaggtgtcc ttgcccacc tgcatctggc atcctccttc 1080
gggagcttac tgtccctgca ggagctggac atacatggca tcttctccg ctgcctcagc 1140
aagaccacgc tccagtcgtt ggcaccctg cccatgtccc agcgtctgca tctgcagttg 1200
aactttatca gccaggccca gctcagcatc ttgggcctt tccctggact gcggtacgtg 1260
gacttgtcag acaaccgat cagtgagct gcagagcccg cggctgccac aggggaggtg 1320
gaggcagact gtggggagag agtctggcca cagtccggg acctgtctt gggcccactg 1380
ggcaccctcg gctcagaggc ctccatgcgc agctgcaggc cctcaactt caactggac 1440
ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc 1500
cagtgctcgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttctgt 1560
cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620
cgctcgttca cggagctgcc gcggctggag gccttgacc tcagctacaa cagccagccc 1680
ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgcgc 1740
tacctcagcc tggcgacaaa tggcatccac agccgcgtgt ccagcagct ccgcagcgc 1800
tcgtccggg ccctggactt cagtggcaat acctgagcc agatgtgggc cgaggagac 1860
ctctatctcc gcttcttcca aggcctgaga agcctggctt agctggacct gtccagaat 1920
cgctcgata cctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggtcctg 1980
cggtccgtg acaattacct ggctttcttc aactggagca gctggccct cctaccaag 2040

```

ctggaagccc tggacctggc gggaaccag ctgaaggccc tgagcaatgg cagcttggccc 2100
 aacggcacccc agctccagag gctggacctc agcggcaaca gcctcggctt cgtgggtcccc 2160
 agcttttttg ccttggccgt gaggttcga gagctcaacc tcagcgccaa cgcctcaag 2220
 acggtggagc cctcctgggt ttggtccctg gcgggtgccc tgaaagtct agacgtgacc 2280
 gccaacccct tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgacg 2340
 gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400
 cgcagcatct tcgcacagga cctgcgcctc tgcctggacg aagcgtctc ctgggtctgt 2460
 ttcagc 2466

<210> 25
 <211> 1031
 <212> PRT
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15
 Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30
 Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
 35 40 45
 Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60
 Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80
 Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95
 Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110
 Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125
 Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160
 Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
 260 265 270
 Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
 290 295 300
 His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350
 His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
705	710	715
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
785	790	795
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840
		845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu
 1025 1030

<210> 26
 <211> 820
 <212> PRT
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30
 Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
 35 40 45
 Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60
 Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80
 Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95
 Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110
 Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125
 Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140
 Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160
 Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725

730

735

Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu
 740 745 750

Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815

Asp Cys Phe Gly
 820

<210> 27

<211> 3235

<212> DNA

<213> Felis catus

<400> 27

aggggtctgcg agctccagcg atttctctct gccatcgctg ccagctctgc catccagacc 60
 ctctggagaa gcccccactc cctgtcatgg gccctgcca tggcgccctg caccctctgt 120
 ctctctctggt gcaggtgcc gcgctggcgg tggccctggc ccagggcacc ctgcctgctt 180
 ttctgcccgt tgaagtcagg cgccacggcc tggatgaattg cgactggctg ttctccaagt 240
 ccgtgcccga cttctcgccg gcagcgcccc gtggtaacgt caccagcctt tccctgtact 300
 ccaaccgcac ccaccacctc cactgactccg acttgtcca cctgtccagc ctgcggcgctc 360
 tcaacctcaa atggaactgc ccaccggcca gcctcagccc catgcacttc cctgtcaca 420
 tgaccattga gccccacacc ttcttggcgg tgcccaccct ggaggagctg aacctgagct 480
 acaacagcat cagcagagta ccgcccctgc ccagttccct cgtgtccctg tctttgagcc 540
 gtaccaacat cctggtgctg gacctgcca acctcgagc gctgcactcc ctgcgcttcc 600
 tgttctctga tggcaactgc tactacaaga acccctgccc gcaggccctg caggtggccc 660
 cggcgccctt ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720
 ctgcggtgcc ccggcgccctg cccccagccc tggagtacct gctattgtcc tacaaccaca 780

tcataccctt	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgtgt	gaccacgccc	gcaacccctg	tatggagtgc	cccaagggtc	900
tcccgacact	gcaacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctgggtgtga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtggagac	ttcctatatg	actgcataac	caaaaccaca	gccttcacag	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacactga	tctggcgccc	tccctcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgctcgc	ctcagcgaga	ccaagctcgc	gtcgtgggtc	caactgccca	1260
tgctccagag	tctgcacctg	cagatgaact	tcatacatca	ggcccagctc	agcatctctg	1320
gggccttccc	tgccctgcga	tacgtggacc	tgtaagacaa	cgcataaagt	ggagccatgg	1380
agctggcgcc	tgccacgggg	gaggtggatg	gtggggagag	agtcggctgc	ccatctgggg	1440
acctagctct	gggcccacgc	ggcaccccta	gctccgaggg	cttcatgccca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggtc	ctcgcgcctc	cagtgcctgc	tcctgagcgc	caacagcctc	tcgcaggcag	1620
tcaacggctc	acaatttatg	cgcctgacca	gcctgcaggt	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgtctcttca	cggagctgcc	gcggtctggg	gccttggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcgtggg	tcacaacctc	agctttgttg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tgccgcacaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgc	tcgctgcggg	ccttggacct	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgaggagagc	ctgtatctcc	acttcttcgc	aggcctgagg	agcctggctc	1980
ggttggtatc	gtcccagaat	cgcctgcata	ccctcttgcc	acgcacctgc	gacaaacctc	2040
ccaagagcct	gcggctgctg	cgtctcgtgc	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggaacctgc	gggaaaccag	ctgaaggccc	2160
tgagcaacgc	cagcttgctc	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccta	cgccctcaag	acgggtggagc	cctcctggtt	cgggtctctc	gcgggcaccc	2340
tgaaagtctc	agatgtgact	ggcaaccccc	tgcaactgcgc	ctgtggggcg	gccttcgttg	2400
acttcttgct	ggaggtgcag	gctgcagtg	cggcctgccc	aggccacgct	aagtgtggca	2460
gtccaggtca	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgccctggatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgtctgtgac	cgtggccctg	ggcctggcgc	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgacctg 2640
 cctggctgcc cggcgggggg cggcgggggg ggcgggatgc cctgcccctac gatgcctttg 2700
 tgggtcttga caaggcacag agcgcgggtg cgcactgggt gtacaacgag ctgcgggtac 2760
 ggctagagga ggcgcgtgga cgcgcagcgc tccgcctgtg cctggaggaa cgtgactggc 2820
 tacccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880
 tgtttgtgct gggccacaca gacagggtca ggcgcctctt gcgcgcagc tttctgtctg 2940
 ccagcagcg cctgctggag gaccgcaagg acgttgtggg gctgggtatc ctgcgccccg 3000
 acgcccacgg ctcccgtat gtgcggctgc gccagcgct ctgccgcag agcgtctctc 3060
 tctggcccca ccagccagt ggccagcgca gcttctggg ccagctgggc acggccctga 3120
 ccagggacaa ccagcacttc tataaccaga acttctgcc ggccccacg acggcagagt 3180
 gacgcccag caccacaagc ctcctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28
 <211> 2460
 <212> DNA
 <213> *Felis catus*

<400> 28
 atggggccct gccatggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgctg 60
 gcgctggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120
 ggcttggtga attgcgactg gctgttcttc aagtcogtgc ccaacttctc ggccgcagcg 180
 cccctgggta acgtccaggc cttttccctg tactccaacc gcattccacca cctccacgac 240
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaatggaa ctgcccaccc 300
 gccagcctca gcccatgca ctteccctgt cacatgacca ttgagcccca caccttctctg 360
 gcgctgccca ccttgaggga gctgaacctg agctacaaca gcattccgac agtaccgcgc 420
 ctgcccagtt ccctcgtgtc cctgtccttg agcgtacca acatcctggt gctggaccct 480
 gccaacctcg cagggtgca ctcctgcgc tttctgttcc tggatggcaa ctgctactac 540
 aagaacccct gcccgaggc cctgcagggt gccccggggc cctcctctgg cctgggcaac 600
 cttaacgacc tgtcactcaa gtacaacaac ctcaactcgg tgcccccgcg cctgcccccc 660
 agcctggagt acctgctatt gtctacaac cacatcatca ccctggcacc tgaggacctg 720
 gccaacctga ccgcctcgc tgtgctcgat gtgggtggga actgcctcg ctgtgaccac 780
 gcccgcaacc cctgtatgga gtgccccaa ggcttccgc acctgcaccc tgacaccttc 840
 agccacctga accacctga aggcctggtg ttgaaggaca gctctctcta caacctgaac 900

ccagatggt tccatgcctt gggcaacctc atggtgctgg acctgagtga gaacttcta 960
 tatgactgca tcacaaaaac cacagccttc cagggcctgg cccagctgag cagactcaac 1020
 ttgtctttca attaccacaa gaagtggtcc ttgtcccaacc tgcattctggc gccctccttc 1080
 gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcgc ctgcctcagc 1140
 gagaccacgc tccggctgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
 aacttcacatc atcaggccca gctcagcacc ttcggggcct tccctggcct gcgatacgtg 1260
 gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggagggtg 1320
 gatggtgggg agagagtcgc gctgccatct ggggacctag ctctggggcc accgggcaacc 1380
 cctagctccg agggcttcat gccaggctgc aagacctca acttcacctt ggacctgtca 1440
 cggaacaacc tagtgacaat ccagccagag atgtttgccg ggctctcgcg cctccagtg 1500
 ctgctctcga gccgcaacag catctcgcag gcagtcacag gctcacaatt tatgcctgtg 1560
 accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcctctc 1620
 ttccaggagc tgcgcggcct ggaggccctg gacctcagct acaacagcca gccctcagc 1680
 atgcaggggc tgggtcaca cctcagcttt gtggcaccgc tgcgggcct gcgctatctc 1740
 agcctggcgc acaacgacat ccacagcctg gtgtccagc agctctgcag cgcctcctg 1800
 cgggccttgg acttcagcgg caatgccttg agcgggatgt gggccgaggg agacctgtat 1860
 ctccacttct tccgaggcct gaggagcctg gtcgggttgg atctgtccca gaatgcctg 1920
 cataccctct tgccacgcac cctggacaac ctccccaaga gctcgggctg gctgcgtctc 1980
 cgtgacaatt atctggcttt ctccaactgg agcagcctgg tctcctctcc caggctggaa 2040
 gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga 2100
 accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
 ttgtctctgg ccaccaggct gcgagagctc aaactcagtg ccaacgccct caagacggtg 2220
 gagcctcct ggttcggctt tctagcgggc accctgaaag tctctagatg gactggcaac 2280
 cccctgcact gcgcctgtgg ggcggccttc gtggactctt tctctggagg gcaggctgca 2340
 gtgcgccggc tgccaggcca cgtcaagtgt ggcagtcagc gtcagctcca gggccgcagc 2400
 atcttttgcg aggatctgag cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

<210> 29
 <211> 1032
 <212> PRT
 <213> Mus musculus

<400> 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr Ser	Leu Arg Val Leu Asp	Val Gly Gly Asn Cys Arg				
245	250	255				
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser						
260	265	270				
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly						
275	280	285				
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe						
290	295	300				
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu						
305	310	315				320
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu						
325	330	335				
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala						
340	345	350				
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu						
355	360	365				
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu						
370	375	380				
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met						
385	390	395				400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala						
405	410	415				
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr						
420	425	430				
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu						
435	440	445				
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser						
450	455	460				

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu
465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp
515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser
565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
610 615 620

phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
 1025 1030

<210> 30
 <211> 821
 <212> PRT
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu
225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser
260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe
290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu
325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu 355 360 365		
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu 370 375 380		
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met 385 390 395 400		
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala 405 410 415		
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr 420 425 430		
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu 435 440 445		
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser 450 455 460		
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu 465 470 475 480		
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu 485 490 495		
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala 500 505 510		
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp 515 520 525		
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu 530 535 540		
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe 545 550 555 560		
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser 565 570 575		

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Asn Ser Ile Val Ser Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
805 810 815

Trp Asp Cys Phe Gly
820

```

<210> 31
<211> 3200
<212> DNA
<213> Mus musculus

<400> 31
tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tcgaaggact    60
ctgcaccctt tgtccctcct ggtacaggct gcagtgtctgg ctgagactct ggccctgggt    120
accctgcctg ccttctcacc ctgtgagctg aagcctcatg gcttgggtga ctgcaattgg    180
ctgttctctga agtctgtacc cgtttctctt gcggcagcat cctgctccaa catcaccgcg    240
ctctccttga tctccaacgg tatccaccac ctgcacaact ccgacttctg ccacctgtcc    300
aacctcgggc agctgaacct caagtgggaa tgtccaccca ctggccttag cccctgcac    360
ttctcttgcc acatgacctt tgagccaga accttctctg ctatgcgtac actggaggag    420
ctgaacctga gctataatgg tatcaccact gtgcccgcag tgcccagctc cctgggtgaat    480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac    540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaacccttg cacaggagcg    600
gtgaagggtg ccccgaggcg cctcctgggc ctgagcaatc tcaccatct gtctctgaag    660
tataacaacc tcacaaagggt gcccgcgcaa ctgccccca gcctggagta cctcctggtg    720
tcotataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga    780
gtacttgatg tgggtgggaa ttgcctgcgc tgcgacctag cccccaatcc ctgtatagaa    840
tgtggccaaa agtccctcca cctgcaccct gagaccttcc atcacctgag ccacttgtaa    900
ggcctggtgc tgaaggacag ctctctccat acactgaact cttcctggtt ccaaggctcg    960
gtcaacctct cggtgtctga cctaagcgag aactttctct atgaaagcat caaccacacc   1020
aatgccttct agaacctaac ccgcctgcgc aagctcaacc tgtccttcaa ttaccgcaag   1080
aaggctacct ttgcccgctc ccacctggca agttccttca agaacctggt gtcactgcag   1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg   1200
gcgatctgc ccaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag   1260
ctcagcatct ttggtacctt ccgagccctt cgctttgttg acttgtcaga caatgcac   1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag   1380
gagctgttgt ctgcgagacc tcaccagct ccaactgagca cccctgcttc taagaacctc   1440

```

atggacaggt gtaagaactt caagttcacc atggacctgt ctoggaacaa cctgggtgact	1500
atcaagccag agatgtttgt caatctetca ogcctccagt gtcttagcct gagccacaac	1560
tccattgcaac aggcgtgtcaa tggctctcag ttccgtgccg tgactaatct gcagggtgctg	1620
gacctgtccc ataacaaact ggacttgtac cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcataagggt tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc tttagcctggc acacaatgac	1800
attcataccc gtgtgtctct acatctcaac agcaactcag tgagggttct tgacttcagc	1860
ggcaacggta tggggccgat gtgggatgag gggggccttt atctccattt ctccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatactct ccggcccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgtgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccctctcg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggcctctgac caatggcacc ctgcctaag gcacctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctgggttggg	2280
ccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgtggag gtgcagacca aggtgcctgg cctggctaatt	2400
ggtgtgaagt gtggcagccc cggccagctg caggggccgt gcactcttcg acaggacctg	2460
cggtgtgccc tggatgaggt cctctcttgg gactgcttgg gccttctact cttggctgtg	2520
gcggtgggca tgggtgtgccc tatactgcac catctctgag gctgggacgt ctgggtactgt	2580
tttcatctgt gcctggcatg gctaccttgg ctggcccgca gcgcagcag cgcaccaagct	2640
ctccctatg atgcctctgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcgggtgag gctggaggag cggcgcggtc gccgagcct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgtg gccacacagg accgcgtcag tggcctcctg	2880
cgcaaccagt tctgtctggc tcagcagcgc ctgttggaag accgcgaagg cgtggtgggtg	2940
ttggtgatcc tgcgtccgga tgcccaacgc tccgctatg tgcgactgag ccagcgtctc	3000
tgcgcgcaga gtgtgctctt ctggcccccag cagcccaacg ggcagggggg cttctgggccc	3060
cagctgagta cagccctgac tagggacaac cgcacttct ataaccagaa cttctgcggg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcattct catgctcgtt	3180
tcccagttg ctctgcctgc	3200

<210> 32
 <211> 2463
 <212> DNA
 <213> Mus musculus

<400> 32
 atgggttctcc gtccaaggac tctgcacccc ttgtccctcc tggtagacgc tgcagtgtctg 60
 gctgagactc tggccctggg tacctgcct gccttctac cctgtgagct gaagcctcat 120
 ggccctgtgg actgcaattg gctgttctct aagtctgtac cccgtttctc tgcggcagca 180
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240
 tccgacttcg tccacctgtc caacctggcg cagctgaacc tcaagtggaa ctgtccaccc 300
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccg aaaccttctg 360
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420
 ctgcccagct cctgtgtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540
 aagaacccct gcacaggagc ggtgaagggtg accccaggcg cctcctctgg cctgagcaat 600
 ctcaaccctc tgtctctgaa gtataacaac ctcaaaagg tgccccgcc aactgcccc 660
 agcctggagt acctcctggt gtccataaac ctcatgtca agctggggcc tgaagacctg 720
 gccaatctga cctcccttgc agtacttgat gtgggtggga attgccctgc ctgagaccat 780
 gcccacaac cctgtataga atgtggccaa aagtcctcc acctgcacc tgaagacctc 840
 catcacctga gccatctgga aggcctggtg ctgaaggaca gctctctcca tacactgaac 900
 tcttctctgt tccaaggctc ggtcaacctc tgggtgctgg acctaaagca gaactttctc 960
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020
 ctgtccttca attaccgcaa gaaggtatcc tttgcccgcc tccacctggc aagttccttc 1080
 aagaacctgg tgtoactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140
 aagtacacgc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaagt 1200
 aacttcatac accaggcaca gctcagcctc tttggtacct tccgagccct togttttgtg 1260
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac cctgaagag 1320
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcaaccagc tccactgagc 1380
 acccctgctt ctaagaacct catggacagg tgtaagaact tcaagttcac catggacctg 1440
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500
 tgtcttagcg tgagccacaa ctccattgca caggtgttca atggctctca gttcctgccc 1560

```

ctgactaate tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt ttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgagggttcc ttgaacttcag cggcaacggt atgggcccga tgtgggatga ggggggcctt 1860
tatctccatt tottccaaag cctgagtggc ctgctgaagc tggacctgtc tcaaaaatac 1920
ctgcataatc tcggcccca gaaccttgac aacctccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc ttctcttaac tggaccagtc tgtctctcct gcccaacctg 2040
gaagtcttag acctggcagg caaccagcta aaggccctga ccaatggcac cctgctaat 2100
ggcaccctcc tccgaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccgacc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctggttttg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc tctgtagact tactgttgga ggtgcagacc 2340
aagtgccctg gctgggctaa tgggtggaag tgtggcagcc ccggccagct gcagggcgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tctctcttgg ggactgcttt 2460
ggc 2463

```

<210> 33

<211> 1032

<212> FRT

<213> Homo sapiens

<400> 33

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1          5          10          15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20          25          30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35          40          45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50          55          60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65          70          75          80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
 145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305		310		315		320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu						
	325			330		335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala						
	340			345		350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu						
	355			360		365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu						
	370			375		380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met						
	385			390		400
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly						
	405			410		415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu						
	420			425		430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu						
	435			440		445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu						
	450			455		460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser						
	465			470		480
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser						
	485			490		495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val						
	500			505		510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu						
	515			520		525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu						
	530			535		540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
 785 790 795 800
 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815
 Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
 820 825 830
 Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845
 Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
 850 855 860
 Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
 865 870 875 880
 Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
 885 890 895
 Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910
 Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925
 Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940
 Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960
 Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
 965 970 975
 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990
 Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005
 Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
 1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu
1025 1030

<210> 34
<211> 820
<212> PRT
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270
 Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300
 Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu
 325 330 335
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala
 340 345 350
 His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu
 370 375 380
 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly
 405 410 415
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctgggtat aaaaatcttta ctctctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat cctccctgt agctgctgtc cagtctgccc gccagacct 120

ctggagaagc cctgcccc cagcatgggt ttctgccga ggcacctgca cccgtgtct 180

ctctgtgtgc aggccatcat gtggccatg acctggccc tgggtacctt gcctgccttc 240

ctacctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

gtgccccact tctccatggc agcaceccgt ggcaatgtca ccagccttcc cttgtctccc 360
 aaccgcaccc accaactcca tgattctgac ttgcccacc tggccagcct gggcgcaccc 420
 aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg 480
 accatcgagc ccagcacctt cttggtctgt cccaccctgg aagagctaaa cctgagctac 540
 aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgct cctcagccat 600
 accaaccatcc tgatgctaga ctctgcacgc ctgcgcccgc tgcctgcctt gcgcttctta 660
 ttcatggagc gcaactgtta ttacaagaac cctgcagggc aggcactgga ggtggccccg 720
 ggtgcctccc ttggcctggg caacctcacc cactgtctac tcaagtacaa caacctcact 780
 gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgcctta caaccgcacc 840
 gtcaaatcgg cgcctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc 900
 ggaaattgcc gccgctgcca ccacgctccc aaccctgcca tggagtgcct tcgtcacttc 960
 cccagctac atcccgatcc cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag 1020
 gacagttctc tctctgggtt gaatgccagt tgggtccgtg ggcctgggaaa cctccagagt 1080
 ctggacctga gtgagaactt cctctacaaa tgcatacta aaaccaaggc cttccagggc 1140
 ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggc gtcctttgcc 1200
 cactgtctc tggccccctc cttcgggagc ctggctgccc tgaaggagct ggacatgcac 1260
 ggcatctctt tcgcctcact cgatgagacc acgctccggc cactggcccc cctgcccatt 1320
 ctccagactc tgcgtctgca gatgaacttc atcaaccagg ccagctcagg catcttcagg 1380
 gccttccctg gcctgcgcta cgtggacctg tcggacaacc gcatacagg agcttcggag 1440
 ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac 1500
 cttgctccgg cccagtgga cactccagc tctgaagact tcaggcccaa ctgcagcacc 1560
 ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt 1620
 gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcacttc gcaggcagtc 1680
 aatggctccc agttcttcgc gctgaccggc ctgcaggtgc tagacctgtc ccgcaataag 1740
 ctggacctct accacagaca ctcatctacg gagctaccgc gactggaggc cctggacctc 1800
 agctacaaca gccagccctt tggcatgcag ggcgtggggc acaacttcag cttcgtggct 1860
 cacctgcgca cctgcgcaca cctcagcctg gcccaacaaca acatccacag ccaagtgtcc 1920
 cagcagctct gcagtagctc gctgcggggc ctggacttca gcggcaatgc actgggccat 1980
 atgtggggcc agggagacct ctatctgcac ttcttccaag gcctgagcgg ttgatctgg 2040

ctggaactgt	cccagaacgc	cctgcacacc	ctctgcccc	aaacctgcgc	caacctcccc	2100
aagagcctac	aggtgctgcg	tctccgtgac	aattacctgg	ccttctttaa	gtggtggagc	2160
ctccacttcc	tgcccaaact	ggaagtccct	gacctggcag	gaaaccggct	gaagccctg	2220
accaatggca	gcctgcctgc	tggcaccggg	ctcgggaggc	tggatgtcag	ctgcaacagc	2280
atcagcttgc	tggccccggg	cttcttctcc	aaggccaagg	agctgcgcga	gtcacaacct	2340
agcgccaacg	ccctcaagac	agtggaccac	tctgggtttg	ggccccctgg	gagtgccttg	2400
caaatactag	atgtaagcgc	caacctctctg	cactgcgcct	gtggggcggc	ctttatggac	2460
ttctctgtcg	aggtgcaggc	tgcctgccc	ggtctgccc	gccgggtgaa	gtgtggcagt	2520
cggggccagc	tccaggggct	cagcatcttt	gcacaggacc	tgcgcctctg	cctggatgag	2580
gcctctctct	gggactgttt	cgccctctcg	ctgctggctg	tggctctggg	cctgggtgtg	2640
cccctgctgc	atcacctctg	tggctgggac	ctctggtact	gcttccacct	gtgcctggcc	2700
tggcttccct	ggcggggggg	gcaaagtggg	cgagatgagg	atgcctctgc	ctacgatgcc	2760
ttcgtggtct	tgcacaaaac	gcagagcgca	gtggcagact	gggtgtacaa	cgagcttcgg	2820
gggcagctgg	aggagtgcgc	tgggcgctgg	gcactccgcc	tgtgcctgga	ggaacgcgac	2880
tggctgctg	gcaaaacctt	ctttgagaac	ctgtgggcct	cggtctatgg	cagccgcaag	2940
acgctgtttg	tgctggccca	cacggaccgg	gtcagtgtgc	tcttgccgcg	cagcttctctg	3000
ctggcccagc	agcgctctgt	ggaggaccgc	aaggacgtcg	tggtgtgtgt	gatcctgagc	3060
cctgacgggc	gccgctcccg	ctacgtgcgg	ctgcgccagc	gcctctgccg	ccagagtgtc	3120
ctcctctggc	cccaccagcc	cagtgggtcag	cgcagcttct	gggccagct	gggcatggcc	3180
ctgaccaggg	acaaccacca	cttctataac	cggaaacttct	gccagggacc	cacggccgaa	3240
tagcctgtgag	ccggaatcct	gcacgggtgc	acctccacac	tcacctcacc	tctgcctgcc	3300
tggctgtgac	ctccctgtct	cgctctccct	acccacaccc	tgacacagag	ca	3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct	gccgcagcgc	cctgcacccg	ctgtctctcc	tgggtgcaggc	catcatgctg	60
gccatgaccc	tggccctggg	taccttgctt	gccttctctac	cctgtgagct	ccagccccac	120
ggcctgggtga	actgcaactg	gtgttctctg	aagtctgtgc	cccacttctc	catggcagca	180
ccccgtggca	atgtcaccag	cctttctctg	tcctccaacc	gcattccacca	cctccatgat	240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgccccccg	300
gttgggctca gcccatgca ctccccctgc cacatgacca tcgagcccg caccctcttg	360
gctgtgcccc ccttggaaga gctaaacctg agctacaaca acatcatgac tgtgctgcg	420
ctgccccaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct	480
gccagcctcg ccggcctgca tgcctcgcc ttctatttca tggacggcaa ctgtatttac	540
aagaacccct gcaggcaggc actggagggt gccccgggtg cctcctctgg cctgggcaac	600
ctcaccacc tgctactcaa gtacaacaac ctactgtgg tgccccgcaa cctgccttcc	660
agcctggagt atctctgtt gtctacaac cgcctcgtca aactggcgcc tgaggacctg	720
gccaatctga ccgccctgct tgtgctcgat gtggcgggaa attgcgcgcg ctgcgaccac	780
gtcccccaac cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc	840
agccacctga gccgtcttga aggcctgggt ttgaaggaca gttctctctc ctggctgaat	900
gccagtgtgt tccgtgggct gggaaacctc cagtgctgg acctgagtga gaacttctc	960
tacaaatgca tcactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac	1020
ctgtccttca attacaaaa gaggggtgtc ttgccccacc tgtctctggc ccttccctc	1080
gggagcctgg tcgcctgaa gagctggac atgcacggca tcttcttcg ctactcgat	1140
gagaccacgc tccggccact ggcccgctg cccatgtccc agactctgag tctgcagatg	1200
aacttcatca accaggccca gctcgcatc ttcagggcct tccctggcct gcgctacgtg	1260
gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccacctt gggggaggca	1320
gatggagggg agaaggtctg gctgcagcct ggggaccttg ctccggcccc agtggaacct	1380
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggaatctgtca	1440
cggacaaccc tggtagcctg gcagccggag atgthtgcgc agctctcgca cctgcagtgc	1500
ctgcgcttga gccacaactg catctcgag cgagtcaatg gctcccgatt cctgcgctg	1560
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca	1620
ttcaccggagc tacccgactt ggaggcctg gacctcagct acaacagcca gccctttggc	1680
atgcaggggg tgggcacaaa ctctcagctt gtggctcacc tgccgacctt gcgccacctc	1740
agcctggccc acaacaacat ccacagccaa gtgtcccgag agctctcgag tacgtcgtg	1800
cgggcctcgg acttcacggc caatgcactg ggccatatgt gggccgaggg agacctctat	1860
ctgcacttct tcacaggcct gagcggtttg atctggctgg acttgtccca gaaccgcctg	1920
cacaccttcc tgccccaaac cctgcgcaac ctccccaaaga gctacaggt gctgcgtctc	1980
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttctgccc caaactggaa	2040

gtccctcgacc tggcaggaaa ccggctgaag gccctgacca atggcagcct gcctgctggc 2100
 acccggtctcc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggtctc 2160
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220
 gaccactcct ggttttggcc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280
 cctctgcact gcgcctgtgg ggcgcccttt atggacttcc tgcaggaggt gcaggctgcc 2340
 gtgcccggtc tgcccagccg ggtgaagtgt ggagtcctgg gccagctcca gggcctcagc 2400
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37
 <211> 26
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 37
 accttgctg ccttcctacc ctgtga 26

<210> 38
 <211> 21
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 38
 gtccgtgtgg gccagcaca a 21

<210> 39
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 39
 tccatgacgt ttttgatgtt 20

<210> 40
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 40
tccataacgt ttttgatggt 20

<210> 41
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 41
tccatcacgt ttttgatggt 20

<210> 42
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 42
tccattacgt ttttgatggt 20

<210> 43
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 43
tccatggcgt ttttgatggt 20

<210> 44
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 44
tccatgccgt ttttgatggt 20

<210> 45
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45
tccatgctgt ttttgatggt 20

<210> 46
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 46
tccatgatgt ttttgatggt 20

<210> 47
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 47
tccatgaagt ttttgatggt 20

<210> 48
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 48
tccatgaggt ttttgatggt 20

<210> 49
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 49
tccatgacat ttttgatggt 20

<210> 50
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 50
tccatgacct ttttgatggt 20

<210> 51
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 51
tccatgacct ttttgatggt 20

<210> 52
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 52
tccatgacgc ttttgatggt 20

<210> 53
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 53
tccatgacga ttttgatggt 20

<210> 54
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 54
tccatgacgg ttttgatggt 20

<210> 55
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 55
tccatgacgt ctttgatggt 20

<210> 56
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 56
tccatgacgt atttgatggt 20

<210> 57
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 57
tccatgacgt gtttgatggt 20

<210> 58
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 58
tcgtcgtttt gtcgttttgc cgtt 24

<210> 59
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 59
tcgtcgtttt gtgcttttgc gctt 24

<210> 60
<211> 20
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60
tccatgacgt tctgtatgct 20

<210> 61
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61
tccatgacgt tctgtatgct 20

<210> 62
<211> 16
<212> PRT
<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC_FEATURE
<222> (4)..(5)
<223> Any amino acid

<220>

<221> MISC_FEATURE
<222> (7)..(12)
<223> Any amino acid

<220>

<221> MISC_FEATURE
<222> (14)..(15)
<223> Any amino acid

<400> 62
Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys
1 5 10 15

<210> 63
<211> 16
<212> PRT
<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys
 1 5 10 15

<210> 64
 <211> 16
 <212> PRT
 <213> Mus musculus
 <400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys
 1 5 10 15

<210> 65
 <211> 31
 <212> PRT
 <213> Artificial sequence
 <220>
 <223> Consensus oligopeptide

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 65
 Arg Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 66
 <211> 31
 <212> PRT
 <213> Homo sapiens
 <220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 67
 <211> 31
 <212> PRT
 <213> Mus musculus

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 68
 <211> 31
 <212> PRT
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr
 20 25 30

<210> 69
 <211> 31
 <212> PRT
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

1 5 10 15

Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr
 20 25 30

```
<210> 70
<211> 20
<212> DNA
<213> Artificial sequence
```

<220>
<223> Synthetic oligonucleotide

```
<400> 70
tccaggactt ctctcaggtt 20
```